



NOVEMBER 2005

LOCAL CLIMATOLOGICAL DATA

NOAA, National Climatic Data Center

HUNTINGTON, WV

TRI-ST/M.J.FERGUSON FLD AP (HTS)
 Lat: 38°22' N Long: 82°33' W Elev (Ground): 822 Feet
 Time Zone: EASTERN WBAN: 03860 ISSN #:0198-5655

DATE	TEMPERATURE °F						DEG DAYS BASE 65°		WEATHER	SNOW/ICE ON GND(IN)		PRECIPITATION (INCHES)		PRESSURE (INCHES OF HG)		WIND SPEED = MPH DIR = TENS OF DEGREES						DATE																																															
	MAXIMUM	MINIMUM	AVERAGE	DEP FROM NORMAL	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING		0700 LST	1300 LST	2400 LST	2400 LST	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	MAXIMUM																																																		
																			5-SEC		2-MIN																																																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																																														
01	61	40	51	1			14	0	RA FG+ BR	0		0.0	0.07	29.16		3.6	24	5.9	16	27	13	30	01																																														
02	57	39	48	-2	42	44	17	0	FG+ BR	0		0.0	0.00	29.30	30.21	2.9	20	4.1	13	19	10	30	02																																														
03	71	41	56	6	36	46	9	0		0		0.0	0.00	29.27	30.17	7.1	19	7.3	17	20	14	18	03																																														
04	73	49	61	12	44	52	4	0		0		0.0	0.00	29.10	29.98	7.3	20	7.7	23	25	15	23	04																																														
05	76	53	65	16	52	58	0	0	HZ	0		0.0	0.00	29.10	29.98	6.3	19	6.9	22	21	16	20	05																																														
06	74	49	62	13	48	56	3	0	RA	0		0.0	0.04	29.07	29.95	7.1	21	9.7	39*	18	28*	18	06																																														
07	63	39	51	3	40	46	14	0	BR	0		0.0	0.00	29.34	30.24	1.3	13	2.3	10	14	9	17	07																																														
08	75	42	59	11	48	55	6	0	RA	0		0.0	T	29.19	30.08	2.7	18	4.8	15	23	12	23	08																																														
09	78*	56	67*	19	53	60	0	2	RA	0		0.0	0.01	29.01	29.88	9.4	23	11.5	31	24	24	32	09																																														
10	56	35	46	-2	28	38	19	0		0		0.0	0.00	29.22	30.12	6.5	29	7.9	21	30	16	31	10																																														
11	55	27	41	-6	27	35	24	0		0		0.0	0.00	29.31	30.22	1.5	16	3.1	12	19	9	22	11																																														
12	69	31	50	3	25	40	15	0		0		0.0	0.00	29.25	30.16	2.8	16	4.5	14	14	10	16	12																																														
13	63	48	56	9	43	51	9	0	RA BR HZ	0		0.0	0.06	29.26	30.15	6.5	20	6.9	18	20	15	19	13																																														
14	60	48	54	8	41	47	11	0	RA BR	0		0.0	0.34	29.33	30.22	3.3	03	4.6	17	31	14	31	14																																														
15	76	56	66	20	54	60	0	1	RA BR	0		0.0	0.05	29.05	29.94	9.4	18	10.0	29	18	23	18	15																																														
16	72	32	52	6	34	41	13	0	RA BR HZ	0		0.0	0.53	29.20	30.09	10.2	25	11.1	31	24	20	26	16																																														
17	37	25	31	-14	15	25	34	0	UP	0		T	T	29.51	30.44	5.2	27	7.1	20	25	15	26	17																																														
18	41	17	29	-16	15	24	36	0	BR	0		0.0	0.00	29.47	30.40	1.8	17	2.8	16	15	13	16	18																																														
19	55	22	39	-6	19	32	26	0		0		0.0	0.00	29.36	30.28	2.8	17	3.9	14	22	12	18	19																																														
20	61	37	49	4	26	39	16	0	HZ	0		0.0	0.00	29.30	30.20	1.0	17	2.2	15	21	12	22	20																																														
21	56	33	45	0	30	39	20	0	HZ	0		0.0	0.00	28.94	29.84	3.3	33	3.7	28	30	18	32	21																																														
22	44	35	40	-4	26	34	25	0	RA HZ	0		0.0	T	28.81	29.71	10.8	31	11.2	26	30	20	32	22																																														
23	50	28	39	-5	26	31	26	0	SN FG+ BR	0		1.0	0.08	28.72	29.62	5.7	20	7.6	21	29	15	19	23																																														
24	50	18	34	-9	24	33	31	0	RA SN	0		T	T	28.78	29.68	9.2	29	11.8	37	26	23	26	24																																														
25	32	13*	23*	-20	4	18	42	0		0		0.0	0.00	29.33	30.26	0.8	12	2.7	12	17	9	18	25																																														
26	58	19	39	-4	18	31	26	0		0		0.0	0.00	29.24	30.16	1.7	16	3.0	15	21	12	21	26																																														
27	65	40	53	11	35	45	12	0		0		0.0	0.00	29.11	30.01	4.7	12	5.0	17	15	14	14	27																																														
28	76	53	65	23	50	57	0	0	RA	0		0.0	T	28.88	29.75	9.9	14	11.0	36	13	24	15	28																																														
29	61	37	49	7	39	45	16	0	RA BR	0		0.0	0.48	28.92	29.81	7.6	25	9.5	30	26	20	27	29																																														
30	40	27	34	-8	25	31	31	0		0		0.0	0.00	29.21	30.12	3.0	23	4.9	13	25	10	25	30																																														
										60.2		36.3		48.3		■ ■		16.6		0.1		< MONTHLY AVERAGES TOTALS->				1.0		1.66		29.16		3.1		22		6.5		<- MONTHLY AVERAGES																															
										5.1		-.3		2.4		■ ■		<-----DEPARTURE FROM NORMAL----->										-1.66		SUNSHINE, CLOUD, & VISIBILITY TABLES ON PAGE 3																																							
DEGREE DAYS										GREATEST 24-HR PRECIPITATION: 0.57 DATE :15-16										SEA LEVEL PRESSURE DATE TIME																																																	
MONTHLY TOTAL DEPARTURE										SEASON TO DATE TOTAL DEPARTURE										GREATEST 24-HR SNOWFALL: 1.0 DATE :23										MAXIMUM : 30.49 18 0651																																							
HEATING: 499 -61										767 -146										GREATEST SNOW DEPTH: 0 DATE :										MINIMUM : 29.38 23 2151																																							
COOLING: 3 0										1532 421										NUMBER OF DAYS WITH →										MAXIMUM TEMP ≥ 90: 0										MINIMUM TEMP ≤ 32 : 11										PRECIPITATION ≥ 0.01 INCH : 9																			
																														MAXIMUM TEMP ≤ 32 : 1										MINIMUM TEMP ≤ 0 : 0										PRECIPITATION ≥ 0.10 INCH : 3																			
																																								THUNDERSTORMS : 0										HEAVY FOG : 3										SNOWFALL ≥ 1.0 INCH : 1									

NOVEMBER 2005 HUNTINGTON, WV

HOURLY PRECIPITATION

(WATER EQUIVALENT IN INCHES)

HUNTINGTON, WV

NOVEMBER 2005

HTS

WBAN # 03860

DATE	FOR HOUR (LST) ENDING AT												DATE	FOR HOUR (LST) ENDING AT												DATE	Sum if Different (See Note)	2400 LST	
	1	2	3	4	5	6	7	8	9	10	11	12		13	14	15	16	17	18	19	20	21	22	23	24			DATE	Water
01													01												01	0.00	0.07		
02													02												02		0.00		
03													03												03		0.00		
04													04												04		0.00		
05													05												05		0.00		
06													06												06		0.04		
07													07												07		0.00		
08													08												08		T		
09													09												09		0.01		
10													10												10		0.00		
11													11												11		0.00		
12													12												12		0.00		
13													13												13		0.00		
14													14												14		0.06		
15													15												15		0.34		
16													16												16		0.05		
17													17												17		0.23		
18													18												18		0.11		
19													19												19		0.14		
20													20												20		0.04		
21													21												21		0.04		
22													22												22		0.03		
23													23												23		T		
24													24												24		0.01		
25													25												25		0.02		
26													26												26		0.09		
27													27												27		0.01		
28													28												28		0.05		
29													29												29		0.05		
30													30												30		0.13		
30													30												30		0.02		

MAXIMUM SHORT DURATION PRECIPITATION (See Note)

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (Inches)	.06	.09	.12	.16	.22	.25	.29	.31	.35	.39	.47	.51
Ending Date	16	16	16	16	16	16	16	16	16	16	16	16
Ending Time (Hour/Min)	0044	0044	0044	0044	0044	0101	0115	0124	0155	0216	0245	0314

Date and time are not entered for TRACE amounts.

Note : The sum of the hourly totals is given when it differs from the daily total. NWS does not edit ASOS hourly values but may edit daily and monthly totals. Hourly, daily, and monthly totals are printed as reported by the ASOS site.

REFERENCE NOTES & SUPPLEMENTAL SUMMARIES

* = Extreme for the month (last occurrence if more than one)

T = Trace precipitation amount

+ = also occurs on earlier date

FG+ = Heavy fog, visibility .25 miles or less

BLANK entries denote missing or unreported data

Resultant wind is the vector sum of the wind speeds and directions divided by the number of observations.

Wind direction is recorded in tens of degrees (2 digits) clockwise from true north. '00' = calm, 'VR' = variable.

Precipitation is for the 24-hour period ending at the time indicated in the column heading.

Water Equivalent of snow on the ground is reported only when the depth is 2 or more inches.

NORMALS ARE FOR THE YEARS 1971–2000

WEATHER NOTATIONS

QUALIFIER	WEATHER PHENOMENA		
	PRECIPITATION	OBSCURATION	OTHER
BC Patches	DZ Drizzle	BR Mist	DS Duststorm
BL Blowing	GR Hail	DU Widespread Dust	FC Funnel Cloud
DR Low Drifting	GS Small Hail and/or Snow Pellets	FG Fog	+FC Tornado Waterspout
FZ Freezing	IC Ice Crystals	FU Smoke	PO Well-Developed Dust/Sand Whirls
MI Shallow	PL Ice Pellets	HZ Haze	SQ Squalls
PR Partial	RA Rain	PY Spray	SS Sandstorm
SH Shower(s)	SG Snow Grains	SA Sand	GL Glaze
TS Thunderstorm	SN Snow	VA Volcanic Ash	
VC In the Vicinity	UP Unknown Precipitation		

Intensity (as indicated on pages 4 to 6):
'+' = Heavy ' ' = Moderate '- ' = Light

HUNTINGTON, WV NOVEMBER 2005

Ceilometer (30-second) data are used to derive cloudiness at or below 12,000 feet. This cloudiness is the mean cloud cover detected during sunrise to sunset (SR–SS), or midnight to midnight (MN–MN).

Satellite data are used to derive cloudiness above 12,000 feet. Effective Cloud Amount is based on the cloud cover and the transparency of the clouds within the satellite field of view (approx. 31x31 miles).

Sky Condition is based on the sum (not to exceed 8) of the sunrise to sunset cloud cover below and above 12,000 feet. Both ceilometer and satellite data must be present to compute Sky Condition. Clear = 0–2 oktas, Partly Cloudy = 3–6 oktas, Cloudy = 7–8 oktas.

A Heating (Cooling) Degree Day is the difference between the average daily temperature and 65 degrees F. The HDD season begins July 1, the CDD season begins January 1.

Dew Point is the temperature to which the air must be cooled to achieve 100% relative humidity. Wet Bulb is the temperature the air would have if cooled to saturation at constant pressure by evaporation of water into it.

Snow Depth, Snowfall, and Sunshine data may come from nearby sites that the National Weather Service deems Climatologically representative of this site.

ADDITIONAL NOTES:

DATE	SUNSHINE		CLOUDINESS (OKTAS)				VISIBILITY (MILES)		RESERVED
	TOTAL MINUTES	PERCENT POSSIBLE	SR–SS		MN–MN		MINIMUM	MAXIMUM	
			CEILOMETER	SATELLITE	CEILOMETER	SATELLITE			
01							< .25	10.00	
02							.25	10.00	
03							10.00	10.00	
04							10.00	10.00	
05							6.00	10.00	
06							3.00	10.00	
07							1.50	10.00	
08							7.00	10.00	
09							9.00	10.00	
10							10.00	10.00	
11							7.00	10.00	
12							7.00	10.00	
13							3.00	9.00	
14							2.50	10.00	
15							5.00	10.00	
16							4.00	10.00	
17							10.00	10.00	
18							5.00	10.00	
19							10.00	10.00	
20							2.50	10.00	
21							2.50	10.00	
22							6.00	10.00	
23							.50	10.00	
24							4.00	10.00	
25							10.00	10.00	
26							10.00	10.00	
27							7.00	10.00	
28							10.00	10.00	
29							4.00	10.00	
30							7.00	10.00	
MONTHLY AVGS							5.80	9.97	
SUNSHINE (MINUTES)									
Total: Possible: Percent Possible:									
NUMBER OF DAYS WITH:									
SKY CONDITION									
CLR PTLY CLDY CLOUDY MISSING 30									
MINIMUM VISIBILITY (MILES)									
<=0.25 <=3.0 >=7.0 2 9 14									

OBSERVATIONS AT 3-HOURLY INTERVALS

HUNTINGTON, WV


NOVEMBER 2005

HTS

WBAN # 03860

HOUR (LST)	SATELLITE		VISIBILITY (MILES)	WEATHER	TEMPERATURE °F				WIND		PRESSURE (INCHES, HG)		HOUR (LST)	SATELLITE		VISIBILITY (MILES)	WEATHER	TEMPERATURE °F				WIND		PRESSURE (INCHES, HG)					
	SKY COVER	CEILING 100'S OF FT			OBSERVATION TIME (LST)	EFF CLD AMT Oktas	DRY BULB	DEW POINT	WET BULB	RELATIVE HUMIDITY (PCT)	SPEED (MPH)	DIRECTION TENS OF DEG		STATION	SEA LEVEL			SKY COVER	CEILING 100'S OF FT	OBSERVATION TIME (LST)	EFF CLD AMT Oktas	DRY BULB	DEW POINT	WET BULB	RELATIVE HUMIDITY (PCT)	SPEED (MPH)	DIRECTION TENS OF DEG	STATION	SEA LEVEL
SUNRISE: 0710					NOV 13					SUNSET: 1719					SUNRISE: 0716					NOV 19					SUNSET: 1715				
01	CLR	NC		9.00		50	24	39	36	5	17	29.23	30.12	01	CLR	NC		10.00		25	17	23	72	3	10	29.38	30.30		
04	CLR	NC		7.00		53	24	41	32	6	20	29.22	30.11	04	CLR	NC		10.00		24	17	22	75	0	00	29.38	30.30		
07	OVC	055		6.00	HZ	57	29	45	34	10	19	29.23	30.12	07	CLR	NC		10.00		22	17	20	82	0	00	29.40	30.33		
10	OVC	039		3.00	-RA	56	41	49	57	14	19	29.28	30.18	10	CLR	NC		10.00		38	21	32	51	6	21	29.41	30.34		
13	OVC	034		8.00		62	47	54	58	7	21	29.26	30.15	13	CLR	NC		10.00		52	20	39	28	10	18	29.36	30.27		
16	OVC	032		7.00		59	55	57	87	0	00	29.23	30.13	16	CLR	NC		10.00		54	18	40	24	9	19	29.30	30.22		
19	OVC	032		6.00	BR	59	56	57	90	6	24	29.27	30.17	19	CLR	NC		10.00		48	18	37	30	0	00	29.33	30.25		
22	BKN	120		8.00		60	55	57	84	6	24	29.31	30.20	22	BKN	120		10.00		43	23	35	45	0	00	29.33	30.24		
SUNRISE: 0711					NOV 14					SUNSET: 1718					SUNRISE: 0717					NOV 20					SUNSET: 1714				
01	OVC	015		7.00		59	55	57	87	5	VR	29.33	30.22	01	BKN	110		10.00		39	24	33	55	5	09	29.35	30.25		
04	OVC	032		10.00		53	34	44	49	7	35	29.39	30.29	04	OVC	080		10.00		39	30	35	70	0	00	29.35	30.25		
07	OVC	032		10.00		49	33	42	55	5	02	29.42	30.32	07	OVC	090		10.00		40	31	36	70	0	00	29.36	30.26		
10	OVC	030		10.00		51	35	44	54	6	02	29.43	30.34	10	CLR	NC		10.00		50	26	40	39	3	21	29.36	30.27		
13	OVC	020		10.00		55	37	47	51	5	03	29.36	30.25	13	CLR	NC		10.00		59	23	44	25	9	20	29.29	30.19		
16	BKN	090		10.00		56	37	47	49	7	07	29.27	30.17	16	BKN	100		10.00		58	24	44	27	0	00	29.25	30.15		
19	OVC	037		6.00	-RA BR	50	47	48	89	6	07	29.23	30.13	19	OVC	110		10.00		54	22	41	29	0	00	29.25	30.15		
22	OVC	090		5.00	BR	51	50	51	96	0	00	29.19	30.08	22	CLR	NC		10.00		46	25	38	44	0	00	29.24	30.14		
SUNRISE: 0712					NOV 15					SUNSET: 1718					SUNRISE: 0718					NOV 21					SUNSET: 1714				
01	OVC	110		5.00	BR	57	55	56	93	6	18	29.13	30.03	01	CLR	NC		2.50	HZ	39	27	34	62	0	00	29.18	30.08		
04	SCT	NC		10.00		62	56	59	81	7	20	29.12	30.01	04	CLR	NC		5.00	HZ	36	28	33	73	0	00	29.13	30.03		
07	OVC	049		6.00	-RA	62	56	59	81	9	16	29.11	30.01	07	CLR	NC		5.00	HZ	34	29	32	82	0	00	29.10	30.00		
10	SCT	NC		10.00		68	55	60	63	9	17	29.11	30.00	10	CLR	NC		2.50	HZ	42	33	38	71	6	01	29.01	29.92		
13	BKN	100		10.00		71	54	61	55	9	21	29.08	29.96	13	CLR	NC		9.00		55	30	44	39	6	34	28.93	29.82		
16	BKN	075		10.00		76	52	62	43	15	19	29.00	29.87	16	OVC	095		10.00		55	27	43	34	0	00	28.82	29.72		
19	CLR	NC		10.00		73	51	60	46	10	17	28.98	29.85	19	FEW	NC		10.00		50	28	41	43	5	33	28.75	29.65		
22	CLR	NC		10.00		72	52	60	50	13	17	28.94	29.80	22	BKN	028		8.00		47	35	42	63	14	32	28.76	29.65		
SUNRISE: 0713					NOV 16					SUNSET: 1717					SUNRISE: 0720					NOV 22					SUNSET: 1713				
01	OVC	048		5.00	-RA	63	58	60	84	12	21	28.97	29.84	01	OVC	016		6.00	HZ	40	33	37	77	9	34	28.74	29.62		
04	OVC	009		7.00		57	54	55	90	15	27	28.95	29.82	04	OVC	032		10.00		39	31	36	73	7	30	28.70	29.59		
07	OVC	014		7.00	-RA	46	41	44	83	14	25	29.09	29.98	07	OVC	018		10.00		39	32	36	76	7	30	28.74	29.64		
10	OVC	032		10.00		43	32	38	65	14	26	29.20	30.09	10	OVC	025		10.00		41	31	37	67	13	32	28.80	29.70		
13	OVC	036		10.00		44	30	38	58	15	24	29.23	30.12	13	OVC	037		10.00		41	26	35	55	17	32	28.80	29.70		
16	OVC	047		10.00		42	28	36	58	12	26	29.27	30.17	16	OVC	055		10.00		40	22	33	49	15	31	28.83	29.73		
19	OVC	047		10.00		39	23	33	53	13	25	29.36	30.27	19	OVC	060		10.00		37	19	31	48	12	29	28.89	29.80		
22	BKN	055		10.00		35	24	31	64	5	22	29.37	30.29	22	OVC	047		10.00		36	19	30	50	12	31	28.93	29.83		
SUNRISE: 0714					NOV 17					SUNSET: 1716					SUNRISE: 0721					NOV 23					SUNSET: 1713				
01	SCT	NC		10.00		31	17	26	56	10	25	29.41	30.33	01	OVC	055		10.00		34	20	29	56	9	29	28.94	29.84		
04	CLR	NC		10.00		27	17	24	66	7	24	29.44	30.36	04	CLR	NC		10.00		30	19	26	64	7	24	28.95	29.85		
07	CLR	NC		10.00		25	16	22	69	6	24	29.49	30.42	07	CLR	NC		10.00		28	20	25	72	5	20	28.91	29.81		
10	BKN	030		10.00		29	16	25	58	12	29	29.54	30.47	10	CLR	NC		10.00		33	21	29	61	6	19	28.85	29.75		
13	CLR	NC		10.00		34	16	28	48	5	VR	29.54	30.47	13	OVC	023		4.00	-SN	35	25	31	67	12	17	28.71	29.61		
16	CLR	NC		10.00		35	12	28	38	5	VR	29.52	30.45	16	OVC	010		9.00		33	30	32	89	8	15	28.54	29.43		
19	CLR	NC		10.00		30	14	25	51	6	34	29.54	30.47	19	OVC	060		10.00		35	31	33	85	8	19	28.50	29.39		
22	CLR	NC		10.00		27	12	23	53	3	01	29.54	30.48	22	OVC	065		10.00		40	32	37	73	6	20	28.49	29.38		
SUNRISE: 0715					NOV 18					SUNSET: 1716					SUNRISE: 0722					NOV 24					SUNSET: 1712				
01	CLR	NC		10.00		24	14	21	65	0	00	29.55	30.48	01	OVC	043		10.00		48	36	43	63	15	30	28.53	29.42		
04	CLR	NC		9.00		20	16	19	85	0	00	29.53	30.47	04	OVC	042		10.00		46	32	40	58	8	25	28.54	29.43		
07	CLR	NC		7.00		19	15	18	85	0	00	29.55	30.49	07	SCT	NC		10.00		45	34	40	66	12	24	28.54	29.43		
10	CLR	NC		8.00		26	20	24	78	3	20	29.55	30.48	10	OVC	036		10.00		46	31	40	56	16	26	28.61	29.50		
13	OVC	100		10.00		35	15	28	44	7	VR	29.48	30.41	13	OVC	055		10.00		43	24	36	47	15	27	28.72	29.61		
16	FEW	NC		10.00		40	12	31	32	6	20	29.40	30.32	16	OVC	014		5.00	-SN	29	23	27	78	12	34	28.88	29.78		
19	CLR	NC		10.00		36	11	28	35	0	00	29.37	30.29	19	OVC	045		10.00		30	16	25	56	10	31	29.00	29.91		
22	CLR	NC		10.00		30	13	25	49	0	00	29.38	30.31	22	OVC	055		10.00		23	7	19	50	10	35	29.16	30.07		


HUNTINGTON, WV NOVEMBER TEMPERATURES



+ Extreme Max. ● Mean Max. ▲ Mean × Mean Min. ◆ Extreme Min.

Long-Term (1961-2005) Mean: 46.5 1971-2000 Normal: 45.9

HUNTINGTON, WV NOVEMBER PRECIPITATION



Long-Term (1961-2005) Mean Monthly Total: 3.29

1971-2000 Normal: 3.32



NOVEMBER 2005

HUNTINGTON, WV

LOCAL CLIMATOLOGICAL DATA

NOAA, National Climatic Data Center

I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA). It is compiled using information from weather observing sites operated by NOAA – National Weather Service / Department Of Transportation – Federal Aviation Administration and received at the National Climatic Data Center (NCDC), Asheville, North Carolina 28801.

DIRECTOR

NCDC now offers an annual online subscription for the **Edited Local Climatological Data Publication**. When you purchase this subscription service, you will have **immediate online access** to all previous publications back to July 1996 and all publications thereafter until the expiration of the subscription. Your subscription is valid for one year after purchase. **The total cost is \$29 for online delivery (including back issues) compared to \$34 for offline delivery.** To order this and other subscriptions online with your credit card, go to: www.ncdc.noaa.gov and choose subscriptions.

We welcome your questions or comments, please contact us at
Toll Free Number (866) 742–3322 (voice)
Fax Number :(304) 726–4409
TDD : 828–271–4010
or Email : ncdc.info@noaa.gov
Local Climatological Data is available at www.ncdc.noaa.gov

For address correction, please return a photocopy of this page to Subscription Services indicating changes

NCDC Subscription Services Center
310 State Route 956 Building 300
Rocket Center, WV 26726

OFFICIAL BUSINESS. PENALTY FOR PRIVATE USE \$300

FIRST CLASS
POSTAGE AND FEES PAID
NOAA
PERMIT G-19