



JUNE 2007 LOCAL CLIMATOLOGICAL DATA NOAA, National Climatic Data Center

HUNTINGTON, WV
TRI-STATE/M.J.FERGUSON FIELD AIRPORT (KHTS)
 Lat:38 ° 22'N Long: 82 ° 33'W Elev (Ground) 824 Feet
 Time Zone : EASTERN WBAN: 03860 ISSN#: 0198-5655



| Date | Temperature °F | | | | | | Deg Days BASE 65° | | WEATHER | SNOW/ICE ON GND(IN) | | PRECIPITATION ON GND(IN) | | PRESSURE (INCHES OF HG) | | WIND SPEED = MPH DIR = TENS OF DEGREES | | | | | | | Date |
|------|----------------|---------|---------|-----------------|----------------|------------------|-------------------|---------|----------------------|---------------------|----------|--------------------------|----------|-------------------------|-------------------|----------------------------------------|---------|---------------|---------|-----|-------|-----|------|
| | MAXIMUM | MINIMUM | AVERAGE | DEP FROM NORMAL | AVERAGE DEW PT | AVERAGE WET BULB | HEATING | COOLING | | 0700 LST | 1300 LST | 2400 LST | 2400 LST | AVERAGE STATION | AVERAGE SEA LEVEL | RESULTANT SPEED | RES DIR | AVERAGE SPEED | MAXIMUM | | | | |
| | | | | | | | | | | | | | | | | | | | 5-SEC | | 2-MIN | | |
| | | | | | | | | | | | | | | | | | | | SPEED | DIR | SPEED | DIR | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 01 | 87 | 63 | 75 | 7 | 65 | 68 | 0 | 10 | FG+ FG BR HZ | 0 | | 0.0 | 0.00 | 29.14 | 30.01 | 2.0 | 14 | 2.5 | 10 | 15 | 8 | 16 | 01 |
| 02 | 86 | 64 | 75 | 7 | 65 | 68 | 0 | 10 | TS BR HZ | 0 | | 0.0 | 0.00 | 29.02 | 29.87 | 1.4 | 15 | 1.7 | 22 | 03 | 10 | 07 | 02 |
| 03 | 77 | 64 | 71 | 3 | 63 | 67 | 0 | 6 | RA BR HZ | 0 | | 0.0 | 0.03 | 28.78 | 29.62 | 1.6 | 14 | 3.5 | 17 | 01 | 13 | 33 | 03 |
| 04 | 80 | 61 | 71 | 3 | 59 | 63 | 0 | 6 | TS TSRA RA BR HZ | 0 | | 0.0 | 0.34 | 28.69 | 29.55 | 7.3 | 22 | 7.7 | 36 | 27 | 23 | 27 | 04 |
| 05 | 75 | 58 | 67* | -2 | 59 | 61 | 0 | 2 | TS TSRA RA BR | 0 | | 0.0 | T | 28.81 | 29.71 | 5.9 | 24 | 6.6 | 21 | 27 | 14 | 25 | 05 |
| 06 | 77 | 58 | 68 | -1 | 56 | 60 | 0 | 3 | BR HZ | 0 | | 0.0 | 0.00 | 29.04 | 29.93 | 2.4 | 19 | 3.4 | 15 | 23 | 9 | 21 | 06 |
| 07 | 93 | 55 | 74 | 5 | 59 | 65 | 0 | 9 | BR | 0 | | 0.0 | 0.00 | 29.03 | 29.91 | 4.8 | 19 | 5.5 | 25 | 23 | 16 | 20 | 07 |
| 08 | 90 | 70 | 80 | 11 | 68 | 71 | 0 | 15 | TS TSRA RA BR HZ | 0 | | 0.0 | 0.10 | 29.05 | 29.92 | 5.6 | 22 | 6.7 | 30 | 28 | 18 | 29 | 08 |
| 09 | 82 | 63 | 73 | 3 | 60 | 64 | 0 | 8 | | 0 | | 0.0 | 0.00 | 29.13 | 30.02 | 3.3 | 35 | 5.0 | 16 | 30 | 13 | 01 | 09 |
| 10 | 82 | 55 | 69 | -1 | 51 | 59 | 0 | 4 | | 0 | | 0.0 | 0.00 | 29.15 | 30.03 | 2.1 | 01 | 3.1 | 15 | 05 | 10 | 05 | 10 |
| 11 | 86 | 59 | 73 | 3 | 51 | 60 | 0 | 8 | | 0 | | 0.0 | 0.00 | 29.17 | 30.05 | 4.1 | 03 | 4.7 | 17 | 02 | 12 | 02 | 11 |
| 12 | 87 | 59 | 73 | 3 | 52 | 61 | 0 | 8 | HZ | 0 | | 0.0 | 0.00 | 29.18 | 30.05 | 4.8 | 03 | 5.5 | 18 | 05 | 13 | 08 | 12 |
| 13 | 89 | 60 | 75 | 5 | 57 | 64 | 0 | 10 | TS TSRA RA HZ | 0 | | 0.0 | 0.05 | 29.13 | 30.00 | 4.7 | 04 | 6.1 | 40* | 05 | 28* | 04 | 13 |
| 14 | 88 | 60 | 74 | 3 | 58 | 64 | 0 | 9 | BR | 0 | | 0.0 | 0.00 | 29.08 | 29.95 | 2.6 | 02 | 3.0 | 17 | 34 | 14 | 35 | 14 |
| 15 | 86 | 57 | 72 | 1 | 55 | 62 | 0 | 7 | BR | 0 | | 0.0 | 0.00 | 29.08 | 29.95 | 1.7 | 04 | 2.8 | 20 | 21 | 12 | 05 | 15 |
| 16 | 87 | 56 | 72 | 1 | 54 | 62 | 0 | 7 | BR HZ | 0 | | 0.0 | 0.00 | 29.11 | 30.00 | 0.8 | 32 | 2.1 | 18 | 24 | 13 | 32 | 16 |
| 17 | 93 | 58 | 76 | 4 | 61 | 66 | 0 | 11 | RA BR HZ | 0 | | 0.0 | T | 29.14 | 30.02 | 0.9 | 22 | 2.2 | 23 | 22 | 13 | 32 | 17 |
| 18 | 97* | 68 | 83* | 10 | 60 | 68 | 0 | 18 | BR HZ | 0 | | 0.0 | 0.00 | 29.13 | 30.00 | 2.4 | 21 | 3.5 | 20 | 21 | 14 | 21 | 18 |
| 19 | 89 | 69 | 79 | 6 | 65 | 69 | 0 | 14 | TS RA HZ | 0 | | 0.0 | 0.06 | 29.10 | 29.96 | 5.1 | 22 | 6.3 | 28 | 19 | 20 | 19 | 19 |
| 20 | 84 | 60 | 72 | -1 | 53 | 62 | 0 | 7 | BR | 0 | | 0.0 | 0.00 | 29.20 | 30.09 | 5.2 | 34 | 5.5 | 33 | 28 | 14 | 35 | 20 |
| 21 | 89 | 53* | 71 | -2 | 50 | 60 | 0 | 6 | BR | 0 | | 0.0 | 0.00 | 29.21 | 30.07 | 1.7 | 28 | 3.4 | 31 | 33 | 12 | 35 | 21 |
| 22 | 78 | 60 | 69 | -4 | 58 | 61 | 0 | 4 | RA FG BR | 0 | | 0.0 | 0.13 | 29.15 | 30.03 | 1.6 | 01 | 3.1 | 20 | 34 | 15 | 01 | 22 |
| 23 | 80 | 59 | 70 | -4 | 57 | 61 | 0 | 5 | FG+ FG BR HZ | 0 | | 0.0 | 0.00 | 29.12 | 30.00 | 2.4 | 04 | 3.1 | 17 | 02 | 9 | 04 | 23 |
| 24 | 87 | 65 | 76 | 2 | 58 | 64 | 0 | 11 | TS TSRA RA BR | 0 | | 0.0 | 0.03 | 29.12 | 30.01 | 1.4 | 07 | 2.7 | 30 | 18 | 23 | 30 | 24 |
| 25 | 91 | 64 | 78 | 4 | 66 | 69 | 0 | 13 | TSRA RA BR HZ | 0 | | 0.0 | 0.01 | 29.26 | 30.14 | 2.0 | 21 | 3.5 | 21 | 22 | 13 | 31 | 25 |
| 26 | 91 | 68 | 80 | 6 | 66 | 71 | 0 | 15 | TS RA HZ | 0 | | 0.0 | 0.03 | 29.34 | 30.22 | 0.3 | 31 | 1.6 | 22 | 27 | 15 | 32 | 26 |
| 27 | 94 | 70 | 82 | 8 | 66 | | 0 | 17 | TS TSRA RA BR HZ | 0 | | 0.0 | 0.03 | 29.26 | | 2.9 | 23 | 4.4 | 21 | 28 | 13 | 26 | 27 |
| 28 | 92 | 68 | 80 | 6 | 68 | | 0 | 15 | TS TSRA RA FG+ BR HZ | 0 | | 0.0 | 0.88 | 29.16 | | 1.9 | 23 | 3.6 | 26 | 32 | 20 | 33 | 28 |
| 29 | 80 | 69 | 75 | 1 | 68 | 70 | 0 | 10 | TS TSRA RA BR HZ | 0 | | 0.0 | 0.22 | 29.15 | 30.04 | 0.9 | 31 | 2.8 | 15 | 21 | 12 | 34 | 29 |
| 30 | 84 | 66 | 75 | 1 | 59 | 64 | 0 | 10 | RA | 0 | | 0.0 | T | 29.16 | 30.04 | 2.1 | 35 | 2.8 | 25 | 03 | 13 | 32 | 30 |

| | | | | | | | | | | | | | | | | | | | | | | |
|------|------|------|---|------|------|-----|-----|-------------------------------|--|--|--|-----|------|-------|-------|-----|----|-----|--------------------|--|--|--|
| 86.0 | 62.0 | 74.0 | X | 59.6 | 64.4 | 0.0 | 9.3 | < MONTHLY AVERAGES TOTALS > | | | | 0.0 | 1.91 | 29.10 | 29.98 | 0.5 | 26 | 3.9 | < MONTHLY AVERAGES | | | |
|------|------|------|---|------|------|-----|-----|-------------------------------|--|--|--|-----|------|-------|-------|-----|----|-----|--------------------|--|--|--|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|---|-------------------------------------|--|--|--|--|--|--|--|--|--|-------|------------------------------------------------|--|--|--|--|--|--|--|--|--|
| 4.3 | 1.1 | 2.7 | X | <----- DEPARTURE FROM NORMAL -----> | | | | | | | | | | -1.97 | SUNSHINE, CLOUD, & VISIBILITY TABLES ON PAGE 3 | | | | | | | | | |
|-----|-----|-----|---|-------------------------------------|--|--|--|--|--|--|--|--|--|-------|------------------------------------------------|--|--|--|--|--|--|--|--|--|

| DEGREE DAYS | | | | GREATEST 24-HR PRECIPITATION : | | GREATEST 24-HR SNOWFALL : | | GREATEST SNOW DEPTH : | | SEA LEVEL PRESSURE | | | | | |
|-----------------|--|--|--|--------------------------------|--|---------------------------|--|-----------------------|--|--------------------|--|---------|--|---------|--|
| MONTHLY | | | | 0.92 DATE : 28-29 | | 0.0 DATE : | | 0 DATE : | | MAXIMUM : | | DATE | | TIME | |
| SEASON TO DATE | | | | 0.0 DATE : | | 0 DATE : | | 0 DATE : | | MINIMUM : | | 26 1134 | | 04 1625 | |
| TOTAL DEPARTURE | | | | 0.92 | | 0.0 | | 0 | | 29.51 | | 04 | | 1625 | |
| TOTAL DEPARTURE | | | | 0.92 | | 0.0 | | 0 | | 29.51 | | 04 | | 1625 | |

| | | | |
|-----------|-----|-----|---------|
| HEATING : | 0 | -14 | |
| COOLING : | 278 | 62 | 472 141 |

| | | | | | | |
|------------------------|----------------------|----|----------------------|---|------------------------------|----|
| NUMBER OF DAYS WITH -> | MAXIMUM TEMP >= 90 : | 8 | MINIMUM TEMP <= 32 : | 0 | PRECIPITATION >= 0.01 INCH : | 12 |
| | MAXIMUM TEMP <= 32 : | 0 | MINIMUM TEMP <= 0 : | 0 | PRECIPITATION >= 0.10 INCH : | 5 |
| | THUNDERSTORMS : | 12 | HEAVY FOG : | 3 | SNOWFALL >= 1.0 INCH : | 0 |

**JUNE 2007
HUNTINGTON, WV**

HOURLY PRECIPITATION

(WATER EQUIVALENT IN INCHES)

HUNTINGTON, WV (KH7S)
JUNE 2007

WBAN # 03860

| Date | FOR HOUR (LST) ENDING AT | | | | | | | | | | | | Date | FOR HOUR (LST) ENDING AT | | | | | | | | | | | | Date | Sum of Hourly Data | 2400 LST Water Equiv. |
|------|--------------------------|---|---|---|---|---|---|---|---|----|----|----|------|--------------------------|------|------|------|------|------|----|------|------|------|----|------|------|--------------------|-----------------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | | | |
| 01 | | | | | | | | | | | | | 01 | | | | | | | | | | | | 01 | 0.00 | 0.00 | |
| 02 | | | | | | | | | | | | | 02 | | | | | | | | | | | | 02 | 0.00 | 0.00 | |
| 03 | | | | | | | | | | | | | 03 | | | | | | | | | | | | 03 | 0.03 | 0.03 | |
| 04 | T | | | | | | | | | | | | 04 | | | | 0.19 | 0.02 | 0.11 | T | 0.02 | | 0.03 | 04 | 0.34 | 0.34 | | |
| 05 | | | | | | | | | | | | | 05 | | T | T | | T | T | | | | | 05 | T | T | | |
| 06 | | | | | | | | | | | | | 06 | | | | | | | | | | | 06 | 0.00 | 0.00 | | |
| 07 | | | | | | | | | | | | | 07 | | | | | | | | | | | 07 | 0.00 | 0.00 | | |
| 08 | | | | | | | | | | | | | 08 | 0.04 | | T | 0.06 | | | | | | | 08 | 0.10 | 0.10 | | |
| 09 | | | | | | | | | | | | | 09 | | | | | | | | | | | 09 | 0.00 | 0.00 | | |
| 10 | | | | | | | | | | | | | 10 | | | | | | | | | | | 10 | 0.00 | 0.00 | | |
| 11 | | | | | | | | | | | | | 11 | | | | | | | | | | | 11 | 0.00 | 0.00 | | |
| 12 | | | | | | | | | | | | | 12 | | | | | | | | | | | 12 | 0.00 | 0.00 | | |
| 13 | | | | | | | | | | | | | 13 | | | | | | | | | | | 13 | 0.05 | 0.05 | | |
| 14 | | | | | | | | | | | | | 14 | | | | | | | | T | 0.03 | 0.02 | 14 | 0.00 | 0.00 | | |
| 15 | | | | | | | | | | | | | 15 | | | | | | | | | | T | 15 | 0.00 | 0.00 | | |
| 16 | | | | | | | | | | | | | 16 | | | | | | | | | | | 16 | 0.00 | 0.00 | | |
| 17 | | | | | | | | | | | | | 17 | | | | | T | | | | | | 17 | T | T | | |
| 18 | | | | | | | | | | | | | 18 | | | | | | | | | | | 18 | 0.00 | 0.00 | | |
| 19 | | | | | | | | | | | | | 19 | | | | 0.06 | | | | | | | 19 | 0.06 | 0.06 | | |
| 20 | | | | | | | | | | | | | 20 | | | | | | | | | | | 20 | 0.00 | 0.00 | | |
| 21 | | | | | | | | | | | | | 21 | | | | | | | | | | | 21 | 0.00 | 0.00 | | |
| 22 | | | | | | | | | | | | | 22 | 0.01 | 0.09 | 0.02 | T | T | 0.01 | | | | | 22 | 0.13 | 0.13 | | |
| 23 | | | | | | | | | | | | | 23 | | | | | | | | | | | 23 | 0.00 | 0.00 | | |
| 24 | | | | T | | | | | | | | | 24 | | | | | | | | 0.03 | T | T | 24 | 0.03 | 0.03 | | |
| 25 | | | | | | | | | | | | | 25 | | | | 0.01 | T | | | | | | 25 | 0.01 | 0.01 | | |
| 26 | | | | | | | | | | | | | 26 | | | | | | | | | | | 26 | 0.03 | 0.03 | | |
| 27 | | | | | | | | | | | | | 27 | | | | | | | | | | | 27 | 0.03 | 0.03 | | |
| 28 | T | | | | | | | | | | | | 28 | | | | 0.17 | 0.67 | 0.04 | T | | | T | 28 | 0.88 | 0.88 | | |
| 29 | | | | | | | | | | | | | 29 | T | T | | 0.21 | T | 0.01 | | | | | 29 | 0.22 | 0.22 | | |
| 30 | | | | | T | T | | | | | | | 30 | | | | | | | | | | | 30 | T | T | | |

* Indicates sum of Hourly and Daily disagree.

MAXIMUM SHORT DURATION PRECIPITATION (See Note)

| Time Period (Minutes) | 5 | 10 | 15 | 20 | 30 | 45 | 60 | 80 | 100 | 120 | 150 | 180 |
|------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Precipitation (Inches) | 0.22 | 0.33 | 0.41 | 0.54 | 0.77 | 0.81 | 0.83 | 0.85 | 0.87 | 0.88 | 0.88 | 0.88 |
| Ending Date | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| Ending Time (Hr/Min) | 1519 | 1522 | 1523 | 1520 | 1522 | 1526 | 1549 | 1605 | 1628 | 1638 | 1638 | 1638 |

Note : The hourly and daily precipitation totals are printed in the last 2 columns and hi-lighted in red when they disagree. NWS does not edit ASOS hourly values but may edit daily and monthly totals. Hourly, daily, and monthly totals are printed as reported by the ASOS site.

Date and time are not entered for TRACE amounts.

REFERENCE NOTES & SUPPLEMENTAL SUMMARIES

* = Extreme for the month (last occurrence if more than one).

T = Trace precipitation amount.

+ = also occurs on earlier date.

FG+ = Heavy fog, visibility .25 miles or less.

BLANK entries denote missing or unreported data.

Resultant wind is the vector sum of the wind speeds and directions divided by the number of observations.

Wind direction is recorded in tens of degrees (2 digits) clockwise from true north. '00' = calm, 'VR' = variable.

Precipitation is for the 24-hour period ending at the time indicated in the column heading.

Water Equivalent of snow on the ground is reported only when the depth is 2 or more inches.

NORMALS ARE FOR THE YEARS 1971-2000

WEATHER NOTATIONS

| QUALIFIER | WEATHER PHENOMENA | | |
|--------------------|-----------------------------------|--------------------|------------------------------------|
| DESCRIPTOR | PRECIPITATION | OBSCURATION | OTHER |
| BC Patches | DZ Drizzle | BR Mist | DS Duststorm |
| BL Blowing | GR Hail | DU Widespread Dust | FC Funnel Cloud |
| DR Low Drifting | GS Small Hail and/or Snow Pellets | FG Fog | +FC Tornado Waterspout |
| FZ Freezing | IC Ice Crystals | FU Smoke | PO Well-Developed Dust/Sand Whirls |
| MI Shallow | PL Ice Pellets | HZ Haze | |
| PR Partial | RA Rain | PY Spray | SQ Squalls |
| SH Shower(s) | SG Snow Grains | SA Sand | SS Sandstorm |
| TS Thunderstorm | SN Snow | VA Volcanic Ash | GL Glaze |
| VC In the Vicinity | UP Unkown Precipitation | | |

Intensity (as indicated on pages 4 to 6):
'+' = Heavy '' = Moderate '-' = Light

HUNTINGTON, WV JUNE 2007

Ceilometer (30-second) data are used to derive cloudiness at or below 12,000 feet. This cloudiness is the mean cloud cover detected during sunrise to sunset (SR-SS), or midnight to midnight (MN-MN).

Satellite data are used to derive cloudiness above 12,000 feet. Effective Cloud Amount is based on the cloud cover and the transparency of the clouds within the satellite field of view (approx. 31x31 miles).

Sky Condition is based on the sum (not to exceed 8) of the sunrise to sunset cloud cover below and above 12,000 feet. Both ceilometer and satellite data must be present to compute Sky Condition. Clear = 0-2 oktas, Partly Cloudy = 3-6 oktas, Cloudy = 7-8 oktas.

A Heating (Cooling) Degree Day is the difference between the average daily temperature and 65 degrees F. The HDD season begins July 1, the CDD season begins January 1.

Dew Point is the temperature to which the air must be cooled to achieve 100% relative humidity. Wet Bulb is the temperature the air would have if cooled to saturation at constant pressure by evaporation of water into it.

Snow Depth, Snowfall, and Sunshine data may come from nearby sites that the National Weather Service deems Climatologically representative of this site.

ADDITIONAL NOTES:

Station Augmentation-HUNTINGTON SWG PL COOP
Lat/Lon:38.41833/-82.51 Elevation:520
Distance:3 MI Dir:N
Augmented Elements:Temp, Precip, Snow
Equipment:MMTS, SRG, Snowboard

| Date | SUNSHINE | | CLOUDINESS (OKTAS) | | | | VISIBILITY (MILES) | | RESERVED |
|--------------------------------------------|---------------|------------------|--------------------|-----------|------------------|-----------|--------------------|---------|----------|
| | TOTAL MINUTES | PERCENT POSSIBLE | SR-SS | | MN-MN | | MINIMUM | MAXIMUM | |
| | | | Sky Cover | Satellite | Sky Cover | Satellite | | | |
| 01 | | | | | | | 0.25 | 6.00 | |
| 02 | | | | | | | 0.75 | 6.00 | |
| 03 | | | | | | | 1.75 | 10.00 | |
| 04 | | | | | | | 1.75 | 10.00 | |
| 05 | | | | | | | 2.00 | 10.00 | |
| 06 | | | | | | | 1.50 | 10.00 | |
| 07 | | | | | | | 6.00 | 10.00 | |
| 08 | | | | | | | 5.00 | 10.00 | |
| 09 | | | | | | | 7.00 | 10.00 | |
| 10 | | | | | | | 10.00 | 10.00 | |
| 11 | | | | | | | 10.00 | 10.00 | |
| 12 | | | | | | | 6.00 | 10.00 | |
| 13 | | | | | | | 5.00 | 10.00 | |
| 14 | | | | | | | 3.00 | 10.00 | |
| 15 | | | | | | | 4.00 | 10.00 | |
| 16 | | | | | | | 1.75 | 10.00 | |
| 17 | | | | | | | 1.75 | 10.00 | |
| 18 | | | | | | | 3.00 | 10.00 | |
| 19 | | | | | | | 5.00 | 10.00 | |
| 20 | | | | | | | 5.00 | 10.00 | |
| 21 | | | | | | | 6.00 | 10.00 | |
| 22 | | | | | | | 1.50 | 10.00 | |
| 23 | | | | | | | 0.25 | 10.00 | |
| 24 | | | | | | | 2.50 | 10.00 | |
| 25 | | | | | | | 2.00 | 10.00 | |
| 26 | | | | | | | 5.00 | 10.00 | |
| 27 | | | | | | | 2.50 | 8.00 | |
| 28 | | | | | | | 0.75 | 10.00 | |
| 29 | | | | | | | 1.00 | 8.00 | |
| 30 | | | | | | | 7.00 | 10.00 | |
| MONTHLY AVGS | | | | | | | 3.63 | 9.60 | |
| SUNSHINE (Minutes) | | | | | | | | | |
| Total : 0 | | | | | Possible : 26616 | | | | |
| Percent Possible : 0 | | | | | | | | | |
| NUMBER OF DAYS WITH : SKY CONDITION | | | | | | | | | |
| Clear | | Partly CLDY | | | Cloudy | | | Missing | |
| MINIMUM VISIBILITY (MILES) | | | | | | | | | |
| <= .25 | | <= 3.0 | | | >= 7.0 | | | | |
| 2 | | 17 | | | 4 | | | | |

OBSERVATIONS AT 3-HOURLY INTERVALS

HUNTINGTON, WV JUNE 2007 KHTS

WBAN # 03860

| HOUR (LST) | SKY COVER | CEILING 100's of FT. | SATELLITE | | VISIBILITY (MILES) | WEATHER | TEMPERATURE °F | | | RELATIVE HUMIDITY (PCT) | WIND | | PRESSURE (INCHES, HG) | | |
|-----------------------------------|-----------|-------------------------|------------------------|--------------------|-----------------------|---------|-------------------|-----------|----------|-------------------------|-------------|-----------------------|--------------------------|-----------|--|
| | | | Observation Time (LST) | Eff Cl'd Amt Oktas | | | DRY BULB | DEW POINT | WET BULB | | SPEED (MPH) | DIRECTION Tens of Deg | STATION | SEA LEVEL | |
| | | | | | | | | | | | | | | | |
| SUNRISE: 0508 JUN 25 SUNSET: 1958 | | | | | | | | | | | | | | | |
| 01 | CLR | NC | | | 2.50 | BR | 65 | 64 | 64 | 97 | 0 | 00 | 29.21 | 30.09 | |
| 04 | CLR | NC | | | 3.00 | BR | 65 | 64 | 64 | 97 | 0 | 00 | 29.20 | 30.08 | |
| 07 | CLR | NC | | | 4.00 | BR | 67 | 65 | 66 | 93 | 3 | 19 | 29.25 | 30.13 | |
| 10 | CLR | NC | | | 8.00 | | 77 | 67 | 70 | 71 | 6 | 19 | 29.29 | 30.17 | |
| 13 | SCT | 042 | | | 10.00 | | 86 | 66 | 73 | 51 | 8 | 22 | 29.29 | 30.16 | |
| 16 | OVC | 080 | | | 4.00 | TSRA | 77 | 68 | 71 | 74 | 9 | 34 | 29.24 | 30.13 | |
| 19 | CLR | NC | | | 10.00 | | 79 | 66 | 70 | 65 | 3 | 25 | 29.28 | 30.16 | |
| 22 | FEW | 120 | | | 10.00 | | 75 | 67 | 70 | 76 | 3 | 19 | 29.33 | 30.20 | |
| SUNRISE: 0508 JUN 26 SUNSET: 1958 | | | | | | | | | | | | | | | |
| 01 | CLR | NC | | | 10.00 | | 72 | 64 | 67 | 76 | 3 | 19 | 29.35 | 30.22 | |
| 04 | CLR | NC | | | 10.00 | | 69 | 65 | 66 | 87 | 0 | 00 | 29.35 | 30.23 | |
| 07 | CLR | NC | | | 9.00 | | 71 | 66 | 68 | 84 | 0 | 00 | 29.38 | 30.26 | |
| 10 | | | | | | | 83 | 66 | 72 | 57 | 5 | 21 | 29.40 | 30.27 | |
| 13 | FEW | 049 | | | 5.00 | HZ | 89 | 65 | 73 | 45 | 0 | 00 | 29.37 | 30.25 | |
| 16 | FEW | 028 | | | 7.00 | | 80 | 69 | 73 | 69 | 5 | 33 | 29.32 | 30.19 | |
| 19 | CLR | NC | | | 7.00 | | 85 | 67 | 73 | 55 | 3 | 34 | 29.29 | 30.16 | |
| 22 | CLR | NC | | | 6.00 | HZ | 76 | 69 | 71 | 79 | 0 | 00 | 29.30 | 30.17 | |
| SUNRISE: 0509 JUN 27 SUNSET: 1958 | | | | | | | | | | | | | | | |
| 01 | CLR | NC | | | 5.00 | HZ | 73 | 68 | 70 | 84 | 3 | 19 | 29.28 | 30.16 | |
| 04 | CLR | NC | | | 5.00 | HZ | 71 | 66 | 68 | 84 | 0 | 00 | 29.28 | 30.16 | |
| 07 | CLR | NC | | | 4.00 | HZ | 73 | 66 | 68 | 79 | 3 | 21 | 29.30 | 30.17 | |
| 10 | CLR | NC | | | 7.00 | | 86 | 66 | 73 | 51 | 5 | 23 | 29.29 | 30.16 | |
| 13 | BKN | 070 | | | 8.00 | | 90 | 64 | 73 | 42 | 7 | VR | 29.26 | 30.13 | |
| 16 | BKN | 110 | | | 7.00 | TS | 86 | 65 | 72 | 50 | 11 | 28 | 29.18 | 30.05 | |
| 19 | | | | | | | | | | | | | 29.22 | | |
| 22 | BKN | 075 | | | 6.00 | -RA BR | 70 | 69 | 69 | 97 | 5 | 13 | 29.23 | 30.10 | |
| SUNRISE: 0509 JUN 28 SUNSET: 1958 | | | | | | | | | | | | | | | |
| 01 | SCT | 046 | | | 3.00 | BR | 70 | 69 | | | 3 | 26 | | | |
| 04 | CLR | NC | | | 2.50 | BR | 69 | 67 | | | 0 | 00 | | | |
| 07 | FEW | 044 | | | 1.25 | BR | 70 | 68 | 69 | 93 | 0 | 00 | 29.20 | 30.07 | |
| 10 | CLR | NC | | | 6.00 | HZ | 82 | 70 | 74 | 67 | 7 | 24 | 29.21 | 30.08 | |
| 13 | SCT | 065 | | | 10.00 | | 89 | 67 | 74 | 48 | 7 | 23 | 29.14 | 30.01 | |
| 16 | OVC | 034 | | | 2.00 | TSRA | 70 | 68 | 69 | 93 | 8 | 21 | 29.16 | 30.04 | |
| 19 | SCT | 004 | | | 5.00 | BR | 70 | 69 | 69 | 97 | 0 | 00 | 29.15 | 30.03 | |
| 22 | FEW | 001 | | | 2.50 | BR | 70 | 69 | 69 | 97 | 0 | 00 | 29.19 | 30.06 | |
| SUNRISE: 0509 JUN 29 SUNSET: 1958 | | | | | | | | | | | | | | | |
| 01 | OVC | 002 | | | 2.00 | BR | 70 | 69 | 69 | 97 | 0 | 00 | 29.15 | 30.02 | |
| 04 | OVC | 002 | | | 3.00 | BR | 70 | 69 | 69 | 97 | 3 | 19 | 29.15 | 30.03 | |
| 07 | BKN | 060 | | | 2.00 | BR | 70 | 69 | 69 | 97 | 0 | 00 | 29.17 | 30.05 | |
| 10 | OVC | 021 | | | 7.00 | | 74 | 69 | 71 | 84 | 0 | 00 | 29.18 | 30.06 | |
| 13 | OVC | 060 | | | 8.00 | | 78 | 68 | 71 | 71 | 3 | VR | 29.16 | 30.04 | |
| 16 | CLR | NC | | | 6.00 | HZ | 77 | 69 | 72 | 76 | 3 | 30 | 29.13 | 30.01 | |
| 19 | BKN | 020 | | | 6.00 | HZ | 73 | 68 | 70 | 84 | 7 | 35 | 29.15 | 30.02 | |
| 22 | OVC | 022 | | | 6.00 | HZ | 70 | 65 | 67 | 84 | 0 | 00 | 29.18 | 30.06 | |
| SUNRISE: 0510 JUN 30 SUNSET: 1958 | | | | | | | | | | | | | | | |
| 01 | OVC | 030 | | | 8.00 | | 69 | 64 | 66 | 84 | 3 | 04 | 29.17 | 30.05 | |
| 04 | OVC | 036 | | | 8.00 | | 68 | 63 | 65 | 84 | 0 | 00 | 29.16 | 30.03 | |
| 07 | CLR | NC | | | 7.00 | | 67 | 62 | 64 | 84 | 0 | 00 | 29.19 | 30.07 | |
| 10 | OVC | 080 | | | 10.00 | | 73 | 62 | 66 | 69 | 0 | 00 | 29.19 | 30.06 | |
| 13 | SCT | 070 | | | 10.00 | | 79 | 60 | 67 | 52 | 6 | VR | 29.18 | 30.05 | |
| 16 | FEW | 050 | | | 10.00 | | 83 | 57 | 67 | 41 | 7 | 33 | 29.14 | 30.01 | |
| 19 | CLR | NC | | | 10.00 | | 78 | 53 | 63 | 42 | 8 | 36 | 29.12 | 30.00 | |
| 22 | CLR | NC | | | 10.00 | | 69 | 53 | 60 | 57 | 7 | 03 | 29.18 | 30.06 | |

| HOUR (LST) | SKY COVER | CEILING 100's of FT. | SATELLITE | | VISIBILITY (MILES) | WEATHER | TEMPERATURE °F | | | RELATIVE HUMIDITY (PCT) | WIND | | PRESSURE (INCHES, HG) | |
|------------|-----------|-------------------------|------------------------|--------------------|-----------------------|---------|-------------------|-----------|----------|-------------------------|-------------|-----------------------|--------------------------|-----------|
| | | | Observation Time (LST) | Eff Cl'd Amt Oktas | | | DRY BULB | DEW POINT | WET BULB | | SPEED (MPH) | DIRECTION Tens of Deg | STATION | SEA LEVEL |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |


3-HOURLY OBSERVATION NOTES

Sky Cover is the amount of the sky obscured. CLR or SKC = 0, FEW = 1/8-2/8, SCT = 3/8-4/8, BKN = 5/8-7/8, OVC = 8/8, W = Vertical Visibility = 8/8
Ceiling is reported in hundreds of feet above ground level for clouds at or below 12,000 feet.
NC = No Ceiling detected.
& = Original observation contained additional weather elements.
See page 3 for additional notes.

SUMMARY BY HOUR

| HOUR (LST) | AVERAGES | | | | | | | | | RESULTANT WIND (MPH) | | |
|------------|------------|-------------|----------|-----------|----------|-------------------|-----------------------|-----------|--------------------|----------------------|-------|-----------|
| | CEILOMETER | EFF CLD AMT | DRY BULB | DEW POINT | WET BULB | RELATIVE HUMIDITY | PRESSURE (Inches, HG) | | VISIBILITY (Miles) | WIND SPEED (MPH) | SPEED | DIRECTION |
| | | | | | | | STATION | SEA LEVEL | | | | |
| | | | | | | | | | | | | |
| 01 | | | 67 | 61 | 63 | 82 | 29.10 | 29.97 | 6.62 | 2 | 2 | 20 |
| 02 | | | 66 | 60 | 62 | 84 | 29.09 | 29.97 | 6.41 | 2 | 3 | 18 |
| 03 | | | 65 | 61 | 62 | 87 | 29.09 | 29.97 | 6.19 | 2 | 3 | 20 |
| 04 | | | 64 | 60 | 61 | 87 | 29.09 | 29.97 | 5.84 | 2 | 3 | 18 |
| 05 | | | 64 | 59 | 61 | 87 | 29.10 | 29.98 | 6.01 | 2 | 3 | 19 |
| 06 | | | 64 | 60 | 61 | 87 | 29.12 | 29.99 | 5.19 | 2 | 3 | 20 |
| 07 | | | 66 | 60 | 63 | 82 | 29.13 | 30.00 | 6.01 | 3 | 2 | 18 |
| 08 | | | 69 | 60 | 64 | 74 | 29.14 | 30.01 | 7.23 | 4 | 2 | 21 |
| 09 | | | 73 | 61 | 65 | 66 | 29.14 | 30.01 | 7.97 | 4 | 2 | 21 |
| 10 | | | 76 | 61 | 66 | 60 | 29.14 | 30.01 | 8.28 | 5 | 3 | 23 |
| 11 | | | 79 | 59 | 67 | 53 | 29.14 | 30.01 | 8.87 | 6 | 2 | 21 |
| 12 | | | 81 | 59 | 67 | 50 | 29.13 | 30.00 | 9.23 | 6 | 3 | 22 |
| 13 | | | 82 | 59 | 67 | 48 | 29.12 | 29.99 | 9.03 | 6 | 4 | 23 |
| 14 | | | 83 | 58 | 67 | 45 | 29.10 | 29.97 | 8.97 | 7 | 2 | 21 |
| 15 | | | 82 | 57 | 67 | 46 | 29.09 | 29.96 | 8.40 | 7 | 2 | 21 |
| 16 | | | 82 | 58 | 67 | 48 | 29.08 | 29.95 | 8.63 | 6 | 2 | 24 |
| 17 | | | 81 | 58 | 67 | 50 | 29.07 | 29.94 | 8.73 | 6 | 2 | 22 |
| 18 | | | 80 | 59 | 67 | 53 | 29.07 | 29.94 | 8.66 | 5 | 1 | 20 |
| 19 | | | 77 | 59 | 66 | 57 | 29.08 | 29.95 | 8.66 | 4 | 2 | 19 |
| 20 | | | 74 | 60 | 65 | 63 | 29.08 | 29.96 | 8.17 | 3 | 2 | 19 |
| 21 | | | 72 | 60 | 65 | 67 | 29.09 | 29.96 | 8.02 | 3 | 2 | 18 |
| 22 | | | 70 | 60 | 64 | 72 | 29.10 | 29.98 | 7.93 | 3 | 3 | 14 |
| 23 | | | 69 | 60 | 63 | 75 | 29.10 | 29.98 | 7.58 | 2 | 2 | 17 |
| 24 | | | 67 | 60 | 63 | 79 | 29.10 | 29.98 | 7.34 | 2 | 2 | 18 |


HUNTINGTON, WV JUNE Temperatures



— Extreme Max — Mean Max — Mean — Mean Min — Extreme Min

Long-Term (1961-2007) Mean: 71.7
1971-2000 Normal: 71.3

HUNTINGTON, WV JUNE Precipitation



Long-Term (1961-2007) Mean Monthly Total: 3.63


1971-2000 Normal: 3.88



JUNE 2007
HUNTINGTON, WV

LOCAL CLIMATOLOGICAL DATA
NOAA, National Climatic Data Center

I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA). It is compiled using information from weather observing sites operated by NOAA-National Weather Service / Department Of Transportation-Federal Aviation Administration and received at the National Climatic Data Center (NCDC), Asheville, North Carolina 28801.


DIRECTOR

NCDC now offers an annual online subscription for the **Edited Local Climatological Data Publication**. When you purchase this subscription service, you will have **immediate online access** to all previous publications back to July 1996 and all publications thereafter until the expiration of the subscription. Your subscription is valid for one year after purchase. **The total cost for online delivery (including back issues) is significantly less than the cost for offline delivery.** To order this and other subscriptions online with your credit card, go to: www.ncdc.noaa.gov and choose subscriptions.

We welcome your questions or comments, please contact us at:

Toll Free Number (866) 742-3322 (voice)
Fax Number : (304) 726-4409

TDD : (828) 271-4010

or Email : ncdc.info@noaa.gov

Local Climatological Data is available at www.ncdc.noaa.gov

United States
Department of Commerce

National Oceanic and
Atmospheric Administration

National Environmental Satellite
Atmospheric Administration

For address correction, please return a photocopy of this page to Subscription Services indicating changes

NCDC Subscription Services Center
310 State Route 956 Building 300
Rocket Center, WV 26726

OFFICIAL BUSINESS, PENALTY FOR PRIVATE USE \$300

FIRST CLASS
POSTAGE AND FEES PAID
NOAA
PERMIT G-19