



SEPTEMBER 2001

LOCAL CLIMATOLOGICAL DATA

NOAA, National Climatic Data Center

KNOXVILLE, TN

MC GHEE TYSON AIRPORT (TYS)
 Lat: 35° 49' N Long: 83° 59' W Elev (Ground): 979 Feet
 Time Zone: EASTERN WBAN: 13891 ISSN #:0198-4810

SEPTEMBER 2001
KNOXVILLE, TN

DATE	TEMPERATURE °F							DEG DAYS BASE 65°		WEATHER	SNOW/ICE ON GND(IN)		PRECIPITATION (INCHES)		PRESSURE (INCHES OF HG)		WIND SPEED = MPH DIR = TENS OF DEGREES								DATE					
	MAXIMUM	MINIMUM	AVERAGE	DEP FROM NORMAL	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	0700 LST		1300 LST	2400 LST	2400 LST	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	MAXIMUM											
																			5-SEC		2-MIN									
																			SPEED	DIR	SPEED	DIR								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24							
01	77	68	73	-1	68	69	0	8	RA BR				0.07	28.95	29.97	6.3	23	6.6	15	23	13	21	01							
02	81	68	75	-1	68	70	0	10	RA BR				0.05	28.96	29.98	0.7	29	4.0	22	24	18	23	02							
03	75	69	72	-1	69	69	0	7	RA BR				0.73	28.95	29.96	3.7	05	5.1	13	22	10	05	03							
04	85	68	77	4	68	70	0	12	FG BR				0.00	28.97	29.99	4.0	03	4.6	15	04	13	03	04							
05	87	66	77	4	68	71	0	12	FG+ BR HZ				0.00	29.04	30.06	4.7	05	5.1	18	05	14	05	05							
06	89*	68	79*	6	68	71	0	14	BR HZ				0.00	29.07	30.08	1.3	05	4.3	16	18	10	07	06							
07	86	67	77	5	67	70	0	12	BR HZ				0.00	29.00	30.01	1.0	25	3.9	15	23	9	24	07							
08	86	65	76	4	66	69	0	11	BR HZ				0.00	28.99	30.01	0.6	02	3.1	15	22	10	27	08							
09	88	68	78	6	66	70	0	13	BR HZ				0.00	29.00	30.02	2.3	23	4.0	15	25	13	24	09							
10	78	68	73	1	66	69	0	8					0.00	29.10	30.12	4.9	03	6.4	15	02	13	03	10							
11	82	63	73	1	58	63	0	8					0.00	29.14	30.16	9.1	06	9.9	23	07	20	07	11							
12	85	60	73	2	61	66	0	8					0.00	29.08	30.11	2.1	04	3.8	13	21	10	21	12							
13	84	65	75	4	64	68	0	10	BR HZ				0.00	29.05	30.07	0.7	02	1.9	9	25	8	32	13							
14	76	59	68	-3	61	64	0	3	FG+ BR HZ				0.00	29.02	30.04	8.9	04	9.2	28*	04	24*	04	14							
15	76	55	66	-5	51	57	0	1					0.00	29.02	30.05	7.6	05	8.1	17	05	13	06	15							
16	76	50	63	-7	52	57	2	0					0.00	29.04	30.07	1.3	06	2.8	13	02	10	02	16							
17	79	52	66	-4	53	58	0	1	BR				0.00	29.06	30.09	1.2	28	2.4	17	24	12	28	17							
18	81	53	67	-3	55	60	0	2	FG BR HZ				0.00	29.00	30.03	0.7	25	2.4	14	23	10	26	18							
19	73	59	66	-4	62	63	0	1	TS TSRA RA BR HZ				1.23	28.93	29.95	0.9	20	2.9	15	19	12	19	19							
20	77	61	69	-1	62	65	0	4	RA BR				0.01	28.96	29.99	2.8	27	4.0	14	27	12	30	20							
21	80	56	68	-1	59	62	0	3	FG+ BR HZ				0.00	29.01	30.03	1.2	23	2.6	16	24	10	24	21							
22	82	61	72	4	61	64	0	7	BR				0.00	29.02	30.04	0.8	04	1.8	13	22	9	27	22							
23	82	57	70	2	61	64	0	5	FG+ BR HZ				0.00	28.97	30.00	1.0	29	2.0	14	27	12	26	23							
24	70	53	62	-6	58	60	3	0	TS TSRA RA BR				1.47	28.91	29.93	3.0	32	6.8	23	34	17	34	24							
25	61	47	54	-13	42	48	11	0					0.00	29.03	30.07	5.2	02	6.1	20	36	14	03	25							
26	65	41*	53*	-14	41	47	12	0	BCFG				0.00	29.08	30.12	0.2	21	2.5	15	02	10	01	26							
27	72	42	57	-9	44	51	8	0					0.00	29.02	30.06	0.4	33	1.5	12	27	9	27	27							
28	69	47	58	-8	47	52	7	0					0.00	29.02	30.06	7.7	04	7.9	22	04	18	04	28							
29	69	47	58	-7	46	52	7	0					0.00	29.11	30.15	11.5	05	11.7	25	04	22	03	29							
30	70	46	58	-7	45	51	7	0	BR				0.00	29.11	30.15	5.4	03	6.3	21	03	15	04	30							
< MONTHLY AVERAGES											TOTALS-->				3.56	29.02	30.05	2.1	03	4.8	<- MONTHLY AVERAGES									
-3.2											-.7		-1.9		<-----DEPARTURE FROM NORMAL----->											0.49	SUNSHINE, CLOUD, & VISIBILITY TABLES ON PAGE 3			
DEGREE DAYS										GREATEST 24-HR PRECIPITATION: 1.47 DATE :24				SEA LEVEL PRESSURE				DATE		TIME										
MONTHLY TOTAL DEPARTURE										GREATEST 24-HR SNOWFALL:				MAXIMUM				:		30.22		11 0953								
SEASON TO DATE TOTAL DEPARTURE										GREATEST SNOW DEPTH:				MINIMUM				:		29.86		24 0153								
HEATING:		57		39		57		39		NUMBER OF DAYS WITH		MAXIMUM TEMP ≥ 90: 0		MINIMUM TEMP ≤ 32: 0		PRECIPITATION ≥ 0.01 INCH : 6														
COOLING:		160		-11		1410		177		MAXIMUM TEMP ≤ 32 : 0		MINIMUM TEMP ≤ 0 : 0		PRECIPITATION ≥ 0.10 INCH : 3																
										THUNDERSTORMS : 2		HEAVY FOG : 4		SNOWFALL ≥ 1.0 INCH :																

HOURLY PRECIPITATION

(WATER EQUIVALENT IN INCHES)

KNOXVILLE, TN

SEPTEMBER 2001 TYS WBAN # 13891

DATE	FOR HOUR (LST) ENDING AT												DATE	FOR HOUR (LST) ENDING AT												DATE	Sum if Different (See Note)	2400 LST
	1	2	3	4	5	6	7	8	9	10	11	12		13	14	15	16	17	18	19	20	21	22	23	24			Water Equiv.
01				0.01	0.02	0.01	T	0.03	T				01												01		0.07	
02				0.15	0.04	0.03	0.03	0.07	0.04	0.02	0.01	0.01	02				0.03	0.02	T						02		0.05	
03	T	0.01	0.32										03	T	T	T									03		0.73	
04													04												04		0.00	
05							0.01						05												05	0.01	0.00	
06													06												06		0.00	
07													07												07		0.00	
08													08												08		0.00	
09													09												09		0.00	
10													10												10		0.00	
11													11												11		0.00	
12													12												12		0.00	
13													13												13		0.00	
14													14												14		0.00	
15													15												15		0.00	
16													16												16		0.00	
17													17												17		0.00	
18													18												18		0.00	
19													19												19		0.00	
20				0.01				T	0.04	0.14	0.32	0.02	20	T	T	0.12	0.14	0.10	0.28	0.07				20		1.23		
21			0.01										21												21	0.01	0.00	
22													22												22		0.00	
23							0.01						23												23	0.01	0.00	
24		T	0.02	0.72	0.20	0.25	0.03	0.03	0.01	T			24	T	0.01	0.15	0.05							24		1.47		
25													25												25		0.00	
26													26												26		0.00	
27													27												27		0.00	
28								0.01					28												28	0.01	0.00	
29													29												29		0.00	
30													30												30		0.00	

MAXIMUM SHORT DURATION PRECIPITATION (See Note)

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (Inches)	.15	.22	.26	.37	.49	.67	.77	.85	.89	.94	1.09	1.18
Ending Date	24	24	24	24	24	24	24	24	24	24	24	24
Ending Time (Hour/Min)	0322	0325	0332	0337	0344	0359	0402	0424	0441	0503	0533	0556

Date and time are not entered for TRACE amounts.

Note : The sum of the hourly totals is given when it differs from the daily total. NWS does not edit ASOS hourly values but may edit daily and monthly totals. Hourly, daily, and monthly totals are printed as reported by the ASOS site.

REFERENCE NOTES & SUPPLEMENTAL SUMMARIES

* = Extreme for the month (last occurrence if more than one)

T = Trace precipitation amount

+ = also occurs on earlier date

FG+ = Heavy fog, visibility .25 miles or less
BLANK entries denote missing or unreported data

Resultant wind is the vector sum of the wind speeds and directions divided by the number of observations.

Wind direction is recorded in tens of degrees (2 digits) clockwise from true north. '00' = calm, 'VR' = variable.

Precipitation is for the 24-hour period ending at the time indicated in the column heading.

Water Equivalent of snow on the ground is reported only when the depth is 2 or more inches.

NORMALS ARE FOR THE YEARS 1961–1990

WEATHER NOTATIONS

QUALIFIER	WEATHER PHENOMENA		
	PRECIPITATION	OBSCURATION	OTHER
BC Patches	DZ Drizzle	BR Mist	DS Duststorm
BL Blowing	GR Hail	DU Widespread Dust	FC Funnel Cloud
DR Low Drifting	GS Small Hail and/or Snow Pellets	FG Fog	+FC Tornado Waterspout
FZ Freezing	IC Ice Crystals	FU Smoke	PO Well-Developed Dust/Sand Whirls
MI Shallow	PL Ice Pellets	HZ Haze	SQ Squalls
PR Partial	RA Rain	PY Spray	SS Sandstorm
SH Shower(s)	SG Snow Grains	SA Sand	GL Glaze
TS Thunderstorm	SN Snow	VA Volcanic Ash	
VC In the Vicinity	UP Unknown Precipitation		

Intensity (as indicated on pages 4 to 6):
'+' = Heavy ' ' = Moderate '-' = Light

KNOXVILLE, TN SEPTEMBER 2001

Ceilometer (30-second) data are used to derive cloudiness at or below 12,000 feet. This cloudiness is the mean cloud cover detected during sunrise to sunset (SR–SS), or midnight to midnight (MN–MN).

Satellite data are used to derive cloudiness above 12,000 feet. Effective Cloud Amount is based on the cloud cover and the transparency of the clouds within the satellite field of view (approx. 31x31 miles).

Sky Condition is based on the sum (not to exceed 8) of the sunrise to sunset cloud cover below and above 12,000 feet. Both ceilometer and satellite data must be present to compute Sky Condition. Clear = 0–2 oktas, Partly Cloudy = 3–6 oktas, Cloudy = 7–8 oktas.

A Heating (Cooling) Degree Day is the difference between the average daily temperature and 65 degrees F. The HDD season begins July 1, the CDD season begins January 1.

Dew Point is the temperature to which the air must be cooled to achieve 100% relative humidity. Wet Bulb is the temperature the air would have if cooled to saturation at constant pressure by evaporation of water into it.

Snow Depth, Snowfall, and Sunshine data may come from nearby sites that the National Weather Service deems Climatologically representative of this site.

ADDITIONAL NOTES:

DATE	SUNSHINE		CLOUDINESS (OKTAS)				VISIBILITY (MILES)		RESERVED
	TOTAL MINUTES	PERCENT POSSIBLE	SR–SS		MN–MN		MINIMUM	MAXIMUM	
			CEILOMETER	SATELLITE	CEILOMETER	SATELLITE			
01							2.50	10.00	
02							2.50	10.00	
03							1.25	10.00	
04							.50	10.00	
05							.25	10.00	
06							2.50	10.00	
07							2.50	8.00	
08							1.75	10.00	
09							2.50	10.00	
10							10.00	10.00	
11							7.00	10.00	
12							8.00	10.00	
13							2.50	9.00	
14							.25	10.00	
15							10.00	10.00	
16							9.00	10.00	
17							3.00	10.00	
18							.50	10.00	
19							.75	10.00	
20							1.50	10.00	
21							<.25	10.00	
22							5.00	10.00	
23							<.25	10.00	
24							1.50	10.00	
25							10.00	10.00	
26							3.00	10.00	
27							10.00	10.00	
28							10.00	10.00	
29							10.00	10.00	
30							6.00	10.00	
MONTHLY AVGS							4.21	9.90	
SUNSHINE (MINUTES)									
Total: Possible: Percent Possible:									
NUMBER OF DAYS WITH:									
SKY CONDITION									
CLR PTLY CLDY CLOUDY MISSING 30									
MINIMUM VISIBILITY (MILES)									
<=0.25 <=3.0 >=7.0 4 19 9									

OBSERVATIONS AT 3-HOURLY INTERVALS

KNOXVILLE, TN

SEPTEMBER 2001

TYS

WBAN # 13891

Table with 13 columns: HOUR (LST), SKY COVER, CEILING 100'S OF FT, OBSERVATION TIME (LST), EFF CLD AMT, VISIBILITY (MILES), WEATHER, TEMPERATURE °F (DRY BULB, DEW POINT, WET BULB, RELATIVE HUMIDITY), WIND (SPEED, DIRECTION), PRESSURE (INCHES, HG) (STATION, SEA LEVEL). Rows include dates from SEP 25 to SEP 30.

Table with 13 columns: HOUR (LST), SKY COVER, CEILING 100'S OF FT, OBSERVATION TIME (LST), EFF CLD AMT, VISIBILITY (MILES), WEATHER, TEMPERATURE °F (DRY BULB, DEW POINT, WET BULB, RELATIVE HUMIDITY), WIND (SPEED, DIRECTION), PRESSURE (INCHES, HG) (STATION, SEA LEVEL). Rows include dates from SEP 31 to SEP 31.


3-HOURLY OBSERVATION NOTES

Sky Cover is the amount of the sky obscured. CLR or SKC = 0, FEW = 1/8-2/8, SCT = 3/8-4/8, BKN = 5/8-7/8, OVC = 8/8, VV = Vertical Visibility = 8/8. Ceiling is reported in hundreds of feet above ground level for clouds at or below 12,000 feet. NC = No ceiling detected. & = Original observation contained additional weather elements. See page 3 for additional notes.

SUMMARY BY HOUR

Table with columns: HOUR (LST), CEILOMETER, EFF CLD AMT, DRY BULB, DEW POINT, WET BULB, RELATIVE HUMIDITY, PRESSURE (INCHES, HG) (STATION, SEA LEVEL), VISIBILITY (MILES), WIND SPEED (MPH), RESULTANT WIND (MPH) (SPEED, DIRECTION). Rows 01-24.


KNOXVILLE, TN SEPTEMBER TEMPERATURES



+ Extreme Max. ● Mean Max. ▲ Mean × Mean Min. ◆ Extreme Min.

Long-Term (1951-2001) Mean: 71.2 1961-1990 Normal: 70.1

KNOXVILLE, TN SEPTEMBER PRECIPITATION



Long-Term (1951-2001) Mean Monthly Total: 2.95

1961-1990 Normal: 3.07



SEPTEMBER 2001
KNOXVILLE, TN

LOCAL CLIMATOLOGICAL DATA

NOAA, National Climatic Data Center

I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA). It is compiled using information from weather observing sites operated by NOAA – National Weather Service / Department Of Transportation – Federal Aviation Administration and received at the National Climatic Data Center (NCDC), Asheville, North Carolina 28801.

DIRECTOR

NCDC now offers an annual online subscription for the **Edited Local Climatolgical Data Publication**. When you purchase this subscription service, you will have **immediate online access** to all previous publications back to July 1996 and all publications thereafter until the expiration of the subscription. Your subscription is valid for one year after purchase. **The total cost is \$24 for online delivery (including back issues) compared to \$32 for offline delivery.** To order this and other subscriptions online with your credit card, go to: www.ncdc.noaa.gov/mpp.html and choose subscriptions.

We welcome your questions or comments, please contact us at
Toll Free Number (866) 742–3322 (voice)
Fax Number :(304) 726–4409
TDD : 828–271–4010
or Email : info@ncdc.noaa.gov
Local Climatological Data is available at www.ncdc.noaa.gov

For address correction, please return a photocopy of this page to Subscription Services indicating changes

NCDC Subscription Services Center
310 State Route 956 Building 300
Rocket Center, WV 26726

OFFICIAL BUSINESS. PENALTY FOR PRIVATE USE \$300

FIRST CLASS
POSTAGE AND FEES PAID
NOAA
PERMIT G-19