Date Printed: 11/13/2016 06:20

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "A" (7900 Area)

11/11/2016

Interval: 001h

	01_TempC_015m	02_TempC_030m	03_TempF_015m	04_TempF_030m	05_VT Grad	06_DewPtC_015m	07_DewPtF_015m	08_RH_015m	09_AbsHum_015m
Hour	DEGC	DEGC	DEGC	DEGF	DEGC	DEGC	DEGF	PERCENT	G/M3
00:00	4.7	5.7	40.5	42.2	1.0	.8	33.4	76.3	5.1
01:00	3.7	4.7	38.7	40.5	1.0	.3	32.5	78.8	4.9
02:00	2.5	3.4	36.5	38.1	.9	.4	32.7	86.6	5.0
03:00	2.0	3.6	35.6	38.5	1.6	-.2	31.7	86.3	4.8
04:00	2.6	4.1	36.6	39.4	1.5	.9	33.7	89.6	5.2
05:00	1.7	3.1	35.1	37.6	1.4	.6	33.0	92.6	5.0
06:00	1.0	2.1	33.8	35.7	1.1	.3	32.5	95.6	4.9
07:00	1.2	1.9	34.2	35.4	.7	.8	33.4	97.6	5.1
08:00	2.3	2.6	36.2	36.6	.2	1.2	34.2	93.4	5.3
09:00	6.4	7.0	43.6	44.5	.5	1.0	33.8	69.2	5.1
10:00	9.9	11.2	49.8	52.1	1.3	.7	33.3	53.5	5.0
11:00	14.5	14.2	58.1	57.6	-.3	2.6	36.7	45.4	5.6
12:00	16.4	16.2	61.6	61.1	-.2	2.4	36.4	39.6	5.5
13:00	17.3	17.1	63.1	62.8	-.1	3.1	37.6	39.4	5.8
14:00	18.0	17.9	64.4	64.1	-.1	3.3	37.9	38.1	5.8
15:00	17.9	17.8	64.3	64.1	-.1	3.7	38.7	39.5	6.0
16:00	17.6	17.6	63.8	63.6	-.1	4.1	39.4	41.4	6.2
17:00	16.3	16.7	61.3	62.0	.4	4.7	40.4	46.8	6.4
18:00	14.8	15.5	58.7	59.9	.7	4.9	40.9	52.2	6.6
19:00	14.3	14.6	57.8	58.2	.2	4.9	40.8	53.7	6.6
20:00	13.7	13.8	56.6	56.8	.1	4.8	40.6	55.7	6.5
21:00	12.8	13.0	55.0	55.3	.2	4.7	40.4	58.4	6.5
22:00	11.7	12.1	53.1	53.8	.4	4.6	40.3	62.2	6.5
23:00	11.0	11.4	51.8	52.5	.4	4.2	39.5	63.3	6.3
Avg	9.8	10.3	49.6	50.5	.5	2.5	36.4	64.8	5.7
Max	18.0	17.9	64.4	64.1	1.6	4.9	40.9	97.6	6.6
Hr. of Max	14	14	14	15	03	19	18	07	19
Min	1.0	1.9	33.8	35.4	-.3	-.2	31.7	38.1	4.8
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/13/2016 06:20

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "A" (7900 Area)

11/11/2016

Interval: 001h

	10_MixRatio_015m	1_Sat Mix Ratio_015	12_VaporPr_015m	3_Sat Vapor_Pr_015	14_LHV_015m	14a_WetBulbC	15_Precip_mm	16_Precip_In	17_BarPres_In
Hour	COUNT	COUNT	KPa	KPa	None	DEGC	MM	INCHES	INHG
00:00	0.004101	0.005376	6.5	8.55	2480101.1	2.1	.0	.00	29.22
01:00	0.003953	0.00503	6.2	7.99	2482445.1	1.4	.0	.00	29.20
02:00	0.003993	0.004615	6.3	7.33	2485283.6	1.1	.0	.00	29.20
03:00	0.003837	0.004451	6.1	7.06	2486527.0	.6	.0	.00	29.20
04:00	0.004153	0.004635	6.6	7.36	2485156.2	1.5	.0	.00	29.19
05:00	0.004044	0.00437	6.4	6.93	2487120.7	1.0	.0	.00	29.19
06:00	0.003959	0.004141	6.3	6.57	2488863.8	.5	.0	.00	29.18
07:00	0.004108	0.004209	6.5	6.68	2488357.7	.9	.0	.00	29.19
08:00	0.004241	0.004564	6.7	7.24	2485760.8	1.6	.0	.00	29.18
09:00	0.004185	0.006091	6.6	9.67	2475976.9	2.8	.0	.00	29.17
10:00	0.004107	0.007722	6.5	12.27	2467791.7	3.8	.0	.00	29.17
11:00	0.004715	0.010435	7.4	16.57	2456841.8	6.6	.0	.00	29.16
12:00	0.004676	0.011805	7.4	18.73	2452264.1	7.1	.0	.00	29.14
13:00	0.00491	0.012456	7.7	19.75	2450271.0	7.8	.0	.00	29.13
14:00	0.00497	0.013041	7.8	20.68	2448549.8	8.2	.0	.00	29.12
15:00	0.00513	0.012995	8.1	20.59	2448700.7	8.4	.0	.00	29.12
16:00	0.005284	0.012759	8.3	20.23	2449372.5	8.6	.0	.00	29.11
17:00	0.005471	0.011724	8.6	18.58	2452583.8	8.5	.0	.00	29.13
18:00	0.00557	0.010664	8.8	16.91	2456025.5	8.2	.0	.00	29.15
19:00	0.005526	0.010287	8.7	16.37	2457228.4	8.0	.0	.00	29.18
20:00	0.005485	0.009851	8.6	15.66	2458837.7	7.7	.0	.00	29.20
21:00	0.00543	0.009307	8.6	14.81	2460880.5	7.4	.0	.00	29.21
22:00	0.005398	0.008683	8.5	13.82	2463373.2	7.0	.0	.00	29.23
23:00	0.005231	0.008266	8.3	13.17	2465090.3	6.4	.0	.00	29.24
Avg	0.004687	0.008228	7.4	13.06	2468058.5	4.9	.0	.00	29.18
Max	0.00557	0.013041	8.8	20.68	2488863.8	8.6	.0	.00	29.24
Hr. of Max	18	14	18	14	06	16	23	23	23
Min	0.003837	0.004141	6.1	6.57	2448549.8	.5	.0	.00	29.11
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/13/2016 06:20

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "A" (7900 Area)

11/11/2016

Interval: 001h

	18_BarPres_Mb	21_WDir_015m	22_WDir_030m	23_VWDir_015m	24_VWDir_030m	25_Sigma_015m	26_Sigma_030m	27_RWSpd_015m	28_RWSpd_030m
Hour	KPa	DEG	DEG	DEG	DEG	DEG	DEG	MPH	MPH
00:00	989.4	298	270	283	262	24.4	19.0	1.7	4.1
01:00	988.7	230	260	229	258	63.1	19.6	.7	2.1
02:00	989.0	262	260	266	259	50.4	16.2	1.3	4.0
03:00	988.7	63	297	42	279	67.1	33.0	.3	1.8
04:00	988.5	68	60	64	61	24.5	12.0	1.1	2.1
05:00	988.5	49	56	45	58	41.4	23.9	.6	2.2
06:00	988.3	60	83	57	70	29.5	39.8	1.4	1.4
07:00	988.3	48	61	51	63	43.7	21.9	1.5	2.9
08:00	988.2	123	26	109	16	30.6	34.9	.9	.4
09:00	987.9	157	149	171	184	27.7	25.8	1.3	.8
10:00	987.9	202	213	200	211	24.1	21.6	3.9	3.9
11:00	987.4	195	204	192	201	25.4	24.5	5.2	5.5
12:00	986.8	233	242	231	243	42.3	33.5	3.3	4.2
13:00	986.4	295	295	299	295	50.8	35.1	3.9	6.0
14:00	986.1	309	305	306	302	50.5	38.2	3.1	5.0
15:00	985.9	235	244	234	244	45.7	41.9	1.8	2.1
16:00	985.8	209	207	207	208	23.2	21.6	1.8	2.2
17:00	986.3	38	54	49	58	28.1	50.4	1.4	1.3
18:00	987.1	56	56	55	55	14.4	9.1	3.0	5.4
19:00	988.0	45	48	46	49	23.6	16.7	4.7	7.1
20:00	988.7	43	46	44	46	22.4	16.6	5.7	8.6
21:00	989.0	46	48	47	48	22.5	15.9	4.6	7.3
22:00	989.7	62	62	61	61	15.1	8.4	3.2	5.5
23:00	990.1	62	59	61	59	14.2	9.3	3.4	5.7
Avg	987.9	57	21	213	213	33.5	24.5	.7	.7
Max	990.1	309	305	306	302	67.1	50.4	5.7	8.6
Hr. of Max	23	14	14	14	14	03	17	20	20
Min	985.8	38	26	42	16	14.2	8.4	.3	.4
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/13/2016 06:20

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "A" (7900 Area)

11/11/2016

Interval: 001h

	29_WSpd_015m	30_WSpd_030m	31_WSpdms_015m	32_WSpdms_030m	33_WElev_015m	34_WElev_030m	35_VSSpd_015m	36_VSSpd_030m	37_VSSpdms_015m
Hour	MPH	MPH	M/SEC	M/SEC	DEG	DEG	MPH	MPH	M/SEC
00:00	2.3	4.4	1.0	2.0	.2	1.1	.0	.0	-.02
01:00	1.2	2.4	.5	1.1	.7	2.3	.0	.1	.01
02:00	1.8	4.1	.8	1.8	-.1 +	1.1	.0 +	.0	-.02 +
03:00	1.1	2.3	.5	1.0	-1.4 +	2.8	.0 +	.1	-.01 +
04:00	1.2	2.2	.6	1.0	-1.0	1.1	.0	.0	-.02
05:00	.8	2.3	.3	1.0	-1.0	.8	.0	.0	-.01
06:00	1.8	2.3	.8	1.0	-1.5	3.1	-.1	.1	-.03
07:00	1.7	2.9	.8	1.3	.0 +	2.1	.0 +	.1	-.01 +
08:00	1.3	1.6	.6	.7	2.1	5.0	.1	.1	.06
09:00	2.1	2.0	.9	.9	5.4	2.9	.3	.2	.12
10:00	4.2	4.3	1.9	1.9	-1.9	-1.4	-.2	-.1	-.07
11:00	5.6	5.9	2.5	2.7	3.7	3.8	.3	.3	.13
12:00	4.2	4.9	1.9	2.2	2.6	4.0	.1	.2	.04
13:00	5.0	6.7	2.2	3.0	-1.1	2.0	-.5	-.2	-.22
14:00	4.3	5.8	1.9	2.6	1.8	4.4	-.2	.1	-.08
15:00	3.1	3.4	1.4	1.5	-2.8	.8	-.2	.0	-.10
16:00	1.8	2.3	.8	1.0	1.6	1.4	.0	.1	.01
17:00	1.5	1.5	.7	.7	-1.6	2.1	-.1	.0	-.04
18:00	3.1	5.5	1.4	2.5	-2.3	-.8	-.2	-.1	-.07
19:00	5.0	7.3	2.2	3.3	1.0	-.1	-.2	-.2	-.07
20:00	6.1	8.9	2.7	4.0	-.5	-1.7	-.3	-.5	-.14
21:00	5.0	7.6	2.2	3.4	.8	-1.0	-.1	-.3	-.06
22:00	3.3	5.6	1.5	2.5	-1.8	-1.0	-.2	-.1	-.07
23:00	3.5	5.8	1.6	2.6	-1.7	-1.2	-.2	-.2	-.08
Avg	3.0	4.3	1.3	1.9	.1	1.4	-.1	.0	-.03
Max	6.1	8.9	2.7	4.0	5.4	5.0	.3	.3	.13
Hr. of Max	20	20	20	20	09	08	11	11	11
Min	.8	1.5	.3	.7	-2.8	-1.7	-.5	-.5	-.22
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/13/2016 06:20

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "A" (7900 Area)

11/11/2016

Interval: 001h

	38_VSSpdms_030m	40_PkWsQ_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	45_SigPhi_030m	46_SonicTemp_015m	47_SonicTemp_030m
Hour	M/SEC	MPH	MPH	MPH	DEG	DEG	DEGC	DEGC
00:00	.01		8.4	10.1	13.8	10.4	5.8	6.0
01:00	.04		3.1	4.5	10.8	7.0	4.8	5.0
02:00	.00		6.4	10.1	14.5	7.9	3.5	3.8
03:00	.04		5.7	9.5	12.6	11.9	3.0	3.9
04:00	.02		2.6	4.4	11.3	6.9	3.7	4.5
05:00	.01		2.6	4.2	10.6	6.4	2.8	3.5
06:00	.05		5.7	5.9	6.7	5.7	2.0	2.5
07:00	.05		4.4	5.4	13.1	6.0	2.2	2.3
08:00	.06		3.2	3.8	24.1	17.4	3.5	3.1
09:00	.08		5.9	5.7	25.5	21.4	8.6	7.7
10:00	-.05		8.6	8.3	19.0	19.7	12.1	11.2
11:00	.15		11.8	11.5	17.6	17.2	15.2	14.3
12:00	.09		11.4	11.7	25.0	23.0	17.2	16.2
13:00	-.10		18.4	18.2	27.0	24.3	18.2	17.3
14:00	.03		16.9	18.6	26.6	24.7	18.9	18.0
15:00	-.01		10.1	9.8	19.6	19.8	18.8	18.0
16:00	.03		4.3	4.8	13.6	11.6	18.6	17.8
17:00	.02		5.0	5.9	7.8	10.8	17.3	16.9
18:00	-.05		9.1	11.3	10.5	6.4	15.9	15.8
19:00	-.10		12.8	17.2	18.4	14.0	15.4	14.9
20:00	-.21		18.9	20.3	17.5	12.7	14.7	14.1
21:00	-.14		14.4	17.6	18.2	13.5	13.9	13.3
22:00	-.05		8.2	13.2	10.4	6.5	12.8	12.5
23:00	-.08		8.9	11.2	12.3	7.7	12.1	11.7
Avg	.00		8.6	10.1	16.1	13.0	10.9	10.6
Max	.15		18.9	20.3	27.0	24.7	18.9	18.0
Hr. of Max	11		20	20	13	14	14	14
Min	-.21		2.6	3.8	6.7	5.7	2.0	2.3
Count	24	0	24	24	24	24	24	24
Total								