

Daily Summary Report

Site: Tower "B" (6500 Area)

9/4/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.00	.00	1.6	1.9	9.3	17.7
01:00	.01	.00	1.8	1.2	10.2	17.3
02:00	.00	.00	2.4	1.6	11.4	16.8
03:00	.01	.00	3.4	3.8	13.2	16.3
04:00	-.01	.00	2.4	3.7	10.5	15.8
05:00	.00	.00	3.0	4.2	16.4	15.7
06:00	-.08	-.03	4.0	5.2	12.9	15.4
07:00	-.09	-.03	4.0	5.2	12.2	15.1
08:00	-.06	-.02	3.4	4.8	21.4	16.0
09:00	-.07	-.02	3.3	3.4	28.8	18.4
10:00	.13	.05	4.9	4.8	27.5	21.2
11:00	-.05	-.02	8.5	9.5	27.5	23.6
12:00	.13	.05	9.9	10.2	23.3	25.4
13:00	-.14	-.06	11.7	12.9	23.8	26.7
14:00	-.05	-.02	14.1	16.6	19.6	27.6
15:00	-.05	-.02	14.4	18.8	18.3	28.1
16:00	-.14	-.06	14.5	17.4	19.2	28.4
17:00	-.05	-.02	12.3	15.2	22.4	28.6
18:00	-.02	.00	8.3	11.1	23.1	28.0
19:00	.03	.01	3.1	7.9	17.6	25.8
20:00	.00	.00	1.9	2.5	12.5	22.9
21:00	.02	.00	1.1	1.4	12.9	21.5
22:00	.01	.00	1.2	1.6	9.2	20.9
23:00	.01	.00	1.1	1.1	9.3	20.9
Avg	-.02	.00	5.7	6.9	17.2	21.4
Max	.13	.05	14.5	18.8	28.8	28.6
Hr. of Max	12	12	16	15	09	17
Min	-.14	-.06	1.1	1.1	9.2	15.1
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/5/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.01	.00	.9	1.0	8.9	20.6
01:00	.00	.00	1.1	1.1	7.9	19.7
02:00	.00	.00	1.7	1.8	11.1	19.1
03:00	.02	.01	2.2	2.8	10.4	19.5
04:00	.01	.00	3.4	4.7	10.4	19.4
05:00	.01	.00	4.2	4.8	10.3	19.3
06:00	.04	.01	4.6	5.8	10.6	19.2
07:00	.03	.01	3.7	5.6	12.2	19.4
08:00	.06	.02	4.5	7.4	18.2	20.8
09:00	-.05	-.02	12.7	16.2	20.7	21.3
10:00	-.06	-.02	14.3	17.7	16.2	21.0
11:00	.03	.01	10.0	13.5	18.8	21.4
12:00	-.06	-.02	6.0	7.3	20.3	23.2
13:00	-.09	-.03	8.7	10.8	18.7	22.1
14:00	.00	.00	7.7	9.6	19.6	21.9
15:00	.10	.04	16.3	21.0	22.5	22.0
16:00	-.17	-.07	15.2	14.6	18.8	20.9
17:00	.02	.00	10.3	13.3	19.2	20.5
18:00	.04	.01	7.2	7.9	14.0	20.3
19:00	.07	.03	3.3	4.6	17.7	20.3
20:00	.03	.01	6.6	8.1	15.8	20.3
21:00	.07	.03	6.8	8.6	15.7	20.2
22:00	.09	.03	6.5	9.1	19.2	19.5
23:00	.03	.01	2.9	4.2	14.6	19.0
Avg	.01	.00	6.7	8.4	15.5	20.5
Max	.10	.04	16.3	21.0	22.5	23.2
Hr. of Max	15	15	15	15	15	12
Min	-.17	-.07	.9	1.0	7.9	19.0
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/6/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-.01	.00	2.8	5.0	11.0	18.7
01:00	-.01	.00	3.4	4.0	11.3	18.4
02:00	.05	.02	2.0	3.5	11.9	18.3
03:00	.01	.00	1.9	2.2	11.8	18.1
04:00	.05	.02	1.8	1.4	11.7	17.7
05:00	.03	.01	2.4	3.2	11.8	17.5
06:00	.03 >	.01 >	<	<	10.7	16.8
07:00	.01	.00	4.4	5.4	16.9	15.7
08:00	.06	.02	2.4	3.0	19.0	16.0
09:00	.01	.00	8.0	8.6	18.7	18.2
10:00	.18	.07	6.5	8.7	23.3	19.8
11:00	.11	.04	9.4	10.8	21.2	20.4
12:00	-.01	.00	11.1	9.5	19.0	20.5
13:00	.21	.09	14.4	16.0	23.8	21.0
14:00	-.13 >	-.05 >	<	<	19.7	21.3
15:00	.09	.03	<	<	20.7	21.8
16:00	.30	.13	16.5	19.2	18.1	21.7
17:00	.05	.02	<	<	17.2	21.3
18:00	.05	.02	12.5	13.4	16.1	21.0
19:00	.15	.06	8.6	9.8	13.0	19.3
20:00	.03	.01	1.3	2.7	11.1	16.2
21:00	.00	.00	.8	1.2	9.2	14.5
22:00	.02	.01	1.7	1.4	11.0	13.5
23:00	.01	.00	1.4	1.2	9.0	12.9
Avg	.05	.02	5.7	6.5	15.3	18.4
Max	.30	.13	16.5	19.2	23.8	21.8
Hr. of Max	16	16	16	16	13	15
Min	-.13	-.05	.8	1.2	9.0	12.9
Count	24	24	20	20	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/7/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.00	.00	1.7	1.8	10.2	12.3
01:00	.01	.00	.9	1.2	9.3	11.8
02:00	.01	.00	1.2	1.5	11.8	11.3
03:00	.01	.00	.7	1.7	8.8	10.9
04:00	.02	.00	.9	.7	9.2	10.6
05:00	.01 >	.00 >	<	<	10.2	10.2
06:00	.03 >	.01 >	<	<	11.5	9.8
07:00	.01	.00	1.4	1.9	10.4	9.6
08:00	.06	.02	1.4	1.4	17.5	11.2
09:00	-.01	.00	<	<	26.1	14.1
10:00	-.08	-.03	5.0	5.0	28.7	16.8
11:00	-.04 >	-.01 >	<	<	24.4	18.3 >
12:00	.18	.08	8.6	10.5	27.3	19.0
13:00	.05 >	.02 >	<	<	22.2	19.8
14:00	.28	.12	9.3	11.3	26.5	20.4
15:00	.29	.13	12.1	11.5	25.2	21.2
16:00	.11	.05	10.8	10.9	22.8	21.3
17:00	-.03	-.01	9.8	12.1	21.0	21.4
18:00	.10 >	.04 >	<	<	18.1	20.7
19:00	.09	.04	2.0	1.3	17.1	18.1
20:00	-.02	.00	4.0	5.5	11.7	15.7
21:00	.02	.00	2.4	3.5	12.6	14.5
22:00	-.03	-.01	2.7	3.5	12.8	13.6
23:00	.00	.00	2.5	3.6	15.6	12.9
Avg	.04	.01	4.3	4.9	17.1	15.2
Max	.29	.13	12.1	12.1	28.7	21.4
Hr. of Max	15	15	15	17	10	17
Min	-.08	-.03	.7	.7	8.8	9.6
Count	24	24	18	18	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/8/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.00	.00	1.7	1.3	10.7	12.4
01:00	-.01	.00	1.4	1.4	11.2	11.9
02:00	-.02	.00	2.3	3.2	10.9	11.5
03:00	.08	.03	2.2	3.1	18.7	11.3
04:00	.03	.01	2.3	2.0	13.6	11.3
05:00	-.01	.00	1.5	2.8	13.5	10.8
06:00	-.01 >	.00 >	<	<	10.1	10.6
07:00	.00 >	.00 >	<	<	13.3	10.6
08:00	-.14	-.06	5.8	8.5	12.0	12.3
09:00	-.08 >	-.03 >	<	<	17.5	15.7
10:00	-.36 >	-.16 >	<	<	17.1	17.9
11:00	-.32	-.14	11.6	13.7	16.4	19.7
12:00	-.25	-.11	12.9	12.7	19.0	20.8
13:00	-.31	-.13	13.5	15.6	18.9	21.7
14:00	-.11	-.04	12.4	17.7	20.7	22.6
15:00	-.36	-.16	12.2	15.4	17.7	23.1
16:00	-.33	-.14	12.6	15.2	17.1	23.5
17:00	-.22 >	-.10 >	<	<	17.3	23.7
18:00	-.06 >	-.02 >	<	<	18.8	23.4
19:00	.12	.05	2.9	4.8	17.3	20.7
20:00	.05	.02	2.3	3.8	12.6	17.6
21:00	.09	.03	1.8	3.4	8.8	16.4
22:00	.01	.00	2.1	5.6	10.5	15.9
23:00	-.02	-.01	3.5	6.1	9.7	15.7
Avg	-.09	-.04	5.8	7.6	14.7	16.7
Max	.12	.05	13.5	17.7	20.7	23.7
Hr. of Max	19	19	13	14	14	17
Min	-.36	-.16	1.4	1.3	8.8	10.6
Count	24	24	18	18	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/9/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-18	-.08	7.5	10.6	7.0	16.0
01:00	-.21	-.09	9.7	11.7	7.7	15.8
02:00	-.14	-.06	4.8	8.5	6.7	14.9
03:00	-.21	-.09	5.1	7.4	5.4	14.5
04:00	-.10	-.04	4.4	6.9	6.7	14.0
05:00	-.15	-.06	5.6	8.0	6.1	13.6
06:00	-.24	-.10	5.4	7.0	5.2	13.5
07:00	-.13 >	-.05 >	<	<	7.7	13.6
08:00	-.09	-.03	8.3	13.1	14.5	14.8
09:00	-.11	-.04	14.7	15.2	16.7	17.3
10:00	-.57	-.25	15.4	19.7	15.0	19.3
11:00	-.25	-.11	15.7	18.8	17.6	21.3
12:00	-.29	-.13	18.5	22.7	17.2	23.1
13:00	-.52	-.23	18.9	22.4	15.4	24.0
14:00	-.15	-.06	18.1	20.4	18.1	24.7
15:00	-.26	-.11	17.4	19.7	17.5	25.0
16:00	-.32	-.14	16.9	18.3	17.1	25.3
17:00	-.28	-.12	14.9	20.8	16.3	25.2
18:00	-.22	-.09	16.3	20.3	16.9	24.1
19:00	-.09	-.04	11.0	13.5	19.1	23.3
20:00	-.06	-.02	7.1	10.5	12.5	21.5
21:00	-.08	-.03	7.2	.0	14.0	20.2
22:00	-.08	-.03	8.6	.0	14.5	19.4
23:00	-.22	-.09	9.0	.0	13.8	18.7
Avg	-.21	-.08	11.3	12.8	12.9	19.3
Max	-.06	-.02	18.9	22.7	19.1	25.3
Hr. of Max	20	20	13	12	19	16
Min	-.57	-.25	4.4	.0	5.2	13.5
Count	24	24	23	23	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/10/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-.12	-.05	10.4	13.0	14.2	18.0
01:00	-.16	-.07	4.8	10.0	11.9	16.9
02:00	-.18	-.08	4.2	10.0	6.4	15.9
03:00	-.08	-.03	5.1	7.5	8.0	15.0
04:00	-.11	-.04	4.8	7.0	12.3	14.5
05:00	.00	.00	2.4	3.0	16.1	13.9
06:00	-.01	.00	2.2	3.5	17.0	13.3
07:00	-.02	.00	2.5	4.5	10.8	13.1
08:00	-.16	-.07	10.8	12.9	14.1	15.2
09:00	-.37	-.16	15.7	17.5	15.5	17.2
10:00	-.28	-.12	15.3	19.4	17.7	18.7
11:00	-.47	-.20	18.5	21.8	15.6	20.2
12:00	-.47	-.20	16.9	19.9	18.1	21.3
13:00	-.42	-.18	18.0	22.0	17.4	22.3
14:00	-.20	-.08	15.6	18.0	17.7	23.1
15:00	-.38	-.16	15.0	15.1	17.1	23.6
16:00	-.03	-.01	14.3	16.0	20.6	23.7
17:00	-.23	-.10	10.8	16.0	16.2	23.3
18:00	.04	.01	5.6	11.0	14.4	22.0
19:00	.06	.02	2.6	3.0	17.7	20.2
20:00	-.07	-.03	4.0	5.9	8.8	18.7
21:00	-.10	-.04	3.5	9.0	8.7	17.9
22:00	-.18	-.07	5.6	10.5	8.1	17.4
23:00	-.22	-.09	5.5	11.0	8.5	17.0
Avg	-.17	-.07	8.9	12.0	13.9	18.4
Max	.06	.02	18.5	22.0	20.6	23.7
Hr. of Max	19	19	11	13	16	16
Min	-.47	-.20	2.2	3.0	6.4	13.1
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/11/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-17	-07	5.8	10.0	11.3	17.1
01:00	-12	-05	8.6	11.0	13.3	17.3
02:00	-03	-01	8.2	7.5	16.3	16.9
03:00	-01	.00	6.7	9.0	16.4	16.5
04:00	-03	-01	7.9	9.9	19.2	15.9
05:00	-02	.00	6.7	9.0	21.3	15.7
06:00	-09	-03	7.8	9.0	20.5	15.4
07:00	-16	-07	10.7	11.5	17.0	15.5
08:00	-23	-10	11.6	16.0	15.4	15.9
09:00	-20	-08	15.8	20.0	16.7	16.1
10:00	-46	-20	17.5	21.0	15.9	16.4
11:00	-60	-26	18.0	19.9	15.5	16.8
12:00	-43	-19	17.2	21.6	17.7	17.2
13:00	-37	-16	21.2	21.4	17.0	17.6
14:00	-45	-19	18.4	22.7	15.5	17.7
15:00	-31	-13	16.4	21.6	16.7	16.7
16:00	-50	-22	24.3	22.9	18.2	15.9
17:00	-24	-10	22.3	22.9	18.5	15.7
18:00	-45	-20	26.9	27.7	18.5	15.7
19:00	-41	-18	24.6	27.9	18.0	15.9
20:00	-44	-19	30.3	31.4	16.0	15.8
21:00	-41	-18	28.7	32.7	16.5	15.6
22:00	-57	-25	28.6	33.0	16.7	16.1
23:00	-41	-18	29.7	33.2	18.5	17.0
Avg	-30	-12	17.2	19.7	16.9	16.4
Max	-01	.00	30.3	33.2	21.3	17.7
Hr. of Max	03	05	20	23	05	14
Min	-60	-26	5.8	7.5	11.3	15.4
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/12/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-.56	-.25	29.9	33.2	16.0	17.4
01:00	-.54	-.23	33.0	31.8	15.6	17.9
02:00	-.75	-.33	32.0	34.8	14.9	18.5
03:00	-.52	-.23	25.7	30.0	15.9	19.0
04:00	-.38	-.16	24.6	22.9	15.3	19.4
05:00	-.45	-.20	21.9	22.9	15.5	19.6
06:00	-.28	-.12	16.6	20.1	16.1	19.8
07:00	-.17	-.07	13.5	17.2	16.9	19.1
08:00	-.25	-.11	<	<	16.0	19.7
09:00	-.20	-.09	10.2	12.7	19.2	20.5
10:00	.15	.06	3.6	4.1	24.6	20.7
11:00	-.02	-.01	6.8	8.2	17.7	20.7
12:00	-.11	-.04	6.4	8.0	18.7	21.4
13:00	.06	.02	8.1	12.0	24.3	21.9
14:00	-.13 >	-.05 >	<	<	16.3	21.3
15:00	-.05	-.02	8.3	8.2	21.7	21.4
16:00	.01 >	.00 >	<	<	19.8	21.3
17:00	-.01	.00	6.0	7.1	21.4	21.3
18:00	-.03	-.01	8.4	10.2	17.8	20.8
19:00	.03	.01	8.4	8.7	17.7	20.0
20:00	.07	.02	5.5	7.7	15.9	19.4
21:00	-.01	.00	7.8	10.6	15.2	19.1
22:00	.04	.01	5.6	8.3	19.5	18.8
23:00	.02	.00	14.8	13.6	23.9	19.6
Avg	-.17	-.07	14.1	15.8	18.2	19.9
Max	.15	.06	33.0	34.8	24.6	21.9
Hr. of Max	10	10	01	02	10	13
Min	-.75	-.33	3.6	4.1	14.9	17.4
Count	24	24	21	21	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/13/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-.06	-.02	7.6	8.6	21.4	19.7
01:00	.05	.02	3.0	5.5	20.5	18.9
02:00	.00	.00	2.0	3.1	14.8	18.0
03:00	.03	.01	4.4	5.5	11.5	17.6
04:00	-.14	-.06	5.4	7.1	11.1	16.9
05:00	-.18	-.08	5.2	8.0	7.5	16.8
06:00	.01	.00	4.3	8.1	16.3	16.8
07:00	-.03	-.01	4.7	6.3	16.9	17.0
08:00	-.18	-.08	5.1	6.3	10.3	17.5
09:00	-.03	-.01	4.6	5.9	18.0	18.1
10:00	-.09	-.04	10.0	10.7	18.7	19.2
11:00	-.25	-.11	19.0	21.2	19.0	19.8
12:00	-.31	-.13	23.7	22.9	19.9	19.2
13:00	-.24	-.10	18.9	22.7	19.5	19.1
14:00	-.15	-.06	22.1	22.9	19.8	19.2
15:00	.01	.00	19.6	21.0	19.6	18.7
16:00	-.18	-.07	11.3	14.1	24.9	18.1
17:00	-.15	-.06	9.8	10.8	21.8	17.7
18:00	-.06	-.02	10.2	13.3	21.0	17.9
19:00	-.10	-.04	<	<	19.1	17.9
20:00	.02	.00	9.9	10.9	19.6	18.1
21:00	-.05	-.02	10.2	11.6	17.7	18.1
22:00	-.06	-.02	<	<	18.8	17.9
23:00	-.02	.00	7.2	10.5	20.4	17.5
Avg	-.09	-.03	9.9	11.7	17.8	18.2
Max	.05	.02	23.7	22.9	24.9	19.8
Hr. of Max	01	01	12	14	16	11
Min	-.31	-.13	2.0	3.1	7.5	16.8
Count	24	24	22	22	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/14/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.03	.01	<	<	19.0	17.4
01:00	.03	.01	<	<	16.9	17.1
02:00	.01	.00	1.9	3.2	13.0	17.0
03:00	-.03	-.01	3.0	5.0	15.2	17.0
04:00	.02	.00	1.7	1.7	14.6	17.1
05:00	.01	.00	<	<	14.3	17.2
06:00	.01	.00	2.3	3.0	15.6	17.3
07:00	.01	.00	<	<	13.5	17.4
08:00	-.03	-.01	5.3	8.2	18.2	17.6
09:00	-.12	-.05	<	<	15.7	18.1
10:00	-.07	-.03	<	<	18.1	18.8
11:00	.03	.01	10.8	13.1	19.7	19.6
12:00	-.07	-.03	<	<	21.8	20.7
13:00	.18	.08	6.6	8.2	21.7	21.7
14:00	.16	.07	10.0	14.0	19.9	22.9
15:00	-.07	-.02	9.1	11.6	18.1	23.6
16:00	.06	.02	<	<	19.4	24.1
17:00	-.03	-.01	8.4	9.7	22.8	24.2
18:00	.14	.06	5.2	7.5	20.6	23.4
19:00	.03	.01	2.0	2.2	15.7	22.0
20:00	-.01	.00	1.2	1.1	11.9	20.8
21:00	.00	.00	2.3	3.0	11.6	20.4
22:00	.00	.00	2.8	4.3	14.7	19.8
23:00	.01	.00	<	<	10.3	19.4
Avg	.01	.00	4.8	6.4	16.8	19.8
Max	.18	.08	10.8	14.0	22.8	24.2
Hr. of Max	13	13	11	14	17	17
Min	-.12	-.05	1.2	1.1	10.3	17.0
Count	24	24	15	15	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/15/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.00	.00	1.4	1.2	14.0	19.4
01:00	-.02	.00	2.7	4.2	11.3	19.5
02:00	-.03	-.01	3.5	5.7	12.9	19.5
03:00	-.02	.00	3.2	3.6	11.3	19.6
04:00	-.08	-.03	3.5	4.4	12.6	19.6
05:00	-.05	-.02	3.1	4.2	12.4	19.5
06:00	-.03	-.01	2.5	2.3	9.6	19.6
07:00	-.02	-.01	2.5	3.9	10.2	19.6
08:00	.04	.01	2.2	2.8	14.1	20.0
09:00	.12	.05	2.2	1.9	26.0	20.8
10:00	.01	.00	6.1	7.4	30.7	22.5
11:00	.10	.04	5.0	5.5	27.3	24.2
12:00	.06	.02	6.3	7.1	26.9	25.7
13:00	-.11	-.04	11.0	10.6	22.5	26.6
14:00	-.02	.00	8.1	9.8	20.9	27.2
15:00	.12	.05	5.1	6.8	21.7	27.3
16:00	.07	.03	7.0	7.8	25.6	28.1
17:00	.00	.00	5.5	7.0	23.0	28.2
18:00	.05	.02	3.1	3.3	16.8	27.3
19:00	.05	.02	1.3	1.3	18.0	25.1
20:00	.00	.00	1.8	2.6	13.3	23.0
21:00	-.03	-.01	1.7	3.2	10.8	21.9
22:00	-.02	.00	1.9	3.1	11.0	21.0
23:00	.01	.00	1.3	2.9	8.3	20.4
Avg	.01	.00	3.8	4.7	17.1	22.7
Max	.12	.05	11.0	10.6	30.7	28.2
Hr. of Max	15	15	13	13	10	17
Min	-.11	-.04	1.3	1.2	8.3	19.4
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/16/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.01	.00	1.3	1.1	8.2	19.8
01:00	.01	.00	2.3	3.1	9.7	19.3
02:00	.01	.00	3.7	6.5	12.3	18.7
03:00	.02	.01	1.9	4.9	12.2	18.6
04:00	.01	.00	2.0	2.9	15.3	18.9
05:00	-.11	-.04	4.5	6.2	12.6	18.9
06:00	-.06	-.02	3.5	4.8	16.7	18.6
07:00	.03	.01	3.2	3.9	17.6	18.3
08:00	.07	.03	4.2	5.1	16.7	18.4
09:00	.03	.01	4.3	6.3	24.2	19.7
10:00	-.19	-.08	8.6	8.9	17.9	22.0
11:00	-.04	-.01	6.1	7.1	25.9	24.2
12:00	.15	.06	7.2	7.6	29.8	26.2
13:00	.13	.05	8.7	9.2	22.5	27.6
14:00	.06	.02	8.2	7.8	26.1	28.4
15:00	-.03	-.01	6.5	6.6	25.6	29.0
16:00	-.16	-.07	7.8	8.1	22.9	29.4
17:00	-.32	-.14	7.1	9.4	14.7	29.4
18:00	.09	.04	4.1	5.0	18.3	27.9
19:00	.01 >	.00 >	2.0	3.0	14.4	25.1 >
20:00	-.03	-.01	2.5	3.5	10.9	23.0
21:00	-.01	.00	2.9	3.5	12.7	21.8
22:00	.02	.00	3.3	3.0	13.4	20.8
23:00	.02	.01	2.1	2.5	11.0	20.1
Avg	-.01	.00	4.5	5.4	17.2	22.7
Max	.15	.06	8.7	9.4	29.8	29.4
Hr. of Max	12	12	13	17	12	17
Min	-.32	-.14	1.3	1.1	8.2	18.3
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/17/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	-.02	.00	2.1	3.0	9.5	19.6
01:00	.02	.00	1.2	1.2	7.8	19.2
02:00	.02	.01	1.9	3.9	8.6	18.8
03:00	.02	.01	2.1	4.3	10.7	18.3
04:00	-.01	.00	2.7	5.1	11.8	18.0
05:00	.01	.00	1.7	2.9	11.4	18.0
06:00	-.01	.00	1.9	2.8	11.1	17.5
07:00	-.01 >	.00 >	2.3	3.0	12.5	17.4 >
08:00	-.04	-.01	2.7	3.5	17.5	17.9
09:00	-.10	-.04	4.1	5.3	15.9	19.7
10:00	.07	.02	4.6	5.2	27.9	22.4
11:00	-.08	-.03	4.4	5.0	27.0	24.6
12:00	.03	.01	4.1	5.2	30.9	26.6
13:00	-.24	-.10	7.7	8.4	21.5	27.9
14:00	-.14	-.06	8.7	10.1	19.5	28.5
15:00	-.27	-.12	8.0	4.1	18.1	28.8
16:00	-.04	-.01	7.6	5.9	23.6	29.5
17:00	-.04	-.01	6.2	6.8	21.6	29.5
18:00	.07	.03	4.9	3.5	15.7	28.3
19:00	.03	.01	2.1	3.0	14.2	25.5
20:00	.01 >	.00 >	2.2	3.5	11.3	23.1
21:00	-.01	.00	2.3	.0	11.7	21.7
22:00	.01	.00	1.8	.0	12.7	20.9
23:00	-.01	.00	1.9	.0	11.5	20.2
Avg	-.03	-.01	3.7	4.0	16.0	22.6
Max	.07	.03	8.7	10.1	30.9	29.5
Hr. of Max	18	18	14	14	12	17
Min	-.27	-.12	1.2	.0	7.8	17.4
Count	24	24	24	24	24	24
Total						

Daily Summary Report

Site: Tower "B" (6500 Area)

9/18/2017

Interval: 001h

	35_VSSpd_015m	37_VSSpdms_015m	42_PkWsH_015m	43_PkWsH_030m	44_SigPhi_015m	I6_SonicTemp_015m
Hour	MPH	MPH	MPH	MPH	DEG	DEGC
00:00	.02	.00	2.1	.0	12.7	19.7
01:00	.01	.00	2.0	.0	10.4	19.3
02:00	.01	.00	1.0	3.1	8.8	18.9
03:00	.01	.00	1.5	1.5	9.2	18.6
04:00	.03	.01	2.0	4.2	11.8	18.1
05:00	.01	.00	2.0	4.1	9.9	17.8
06:00	.00	.00	1.8	3.5	11.0	17.5
07:00	.01 >	.00 >	1.0	1.1	8.1	17.4 >
08:00	.01 >	.00 >	1.2	1.0	12.5	18.4
09:00	.02	.01	3.2	3.4	25.0	21.0
10:00	-.09	-.03	5.0	5.5	27.0	23.4
11:00	-.13	-.05	5.5	7.0	22.1	25.7
12:00	-.15	-.06	7.4	8.5	25.8	27.3
13:00	-.09	-.04	13.9	12.6	24.8	28.3
14:00	-.35 >	-.15 >	12.0	15.0	19.4	28.9
15:00	.03 >	.01 >	8.4	12.0	21.9	29.2 >
16:00	.17	.07	<	<	25.1	29.1
17:00						
18:00						
19:00						
20:00						
21:00						
22:00						
23:00						
Avg	-.03	-.01	4.4	5.2	16.8	22.3
Max	.17	.07	13.9	15.0	27.0	29.2
Hr. of Max	16	16	13	14	10	15
Min	-.35	-.15	1.0	.0	8.1	17.4
Count	17	17	16	16	17	17
Total						