Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	01_TempC_002m	02_TempC_015m	03_TempC_035m	04_TempC_060m	05_TempF_002m	06_TempF_015m	07_TempF_035m	08_TempF_060m	09_VTGrad_0215m
Hour	DEGC	DEGC	DEGC	DEGC	DEGF	DEGF	DEGF	DEGF	DEGC
00:00	8.7	9.1	9.0	8.9	47.6	48.3	48.1	48.1	.38
01:00	8.7	8.9	8.8	8.8	47.6	48.0	47.8	47.8	.23
02:00	8.7	8.7	8.6	8.5	47.6	47.7	47.5	47.4	.09
03:00	8.6	8.6	8.5	8.4	47.4	47.5	47.3	47.1	.07
04:00	8.4	8.6	8.5	8.4	47.2	47.5	47.2	47.1	.19
05:00	8.3	8.5	8.5	8.4	46.9	47.2	47.2	47.2	.17
06:00	8.4	8.5	8.4	8.3	47.1	47.4	47.1	47.0	.15
07:00	8.4	8.5	8.4	8.3	47.2	47.4	47.1	46.9	.09
08:00	8.5	8.4	8.2	8.1	47.2	47.1	46.8	46.6	-.05
09:00	8.4	8.3	8.0	7.9	47.1	46.9	46.5	46.3	-.13
10:00	8.6	8.4	8.2	8.0	47.5	47.1	46.7	46.5	-.23
11:00	9.1	8.8	8.6	8.5	48.5	47.9	47.5	47.2	-.30
12:00	10.7	10.1	9.6	9.4	51.2	50.1	49.4	48.9	-.61
13:00	11.8	11.3	11.0	10.8	53.3	52.3	51.7	51.5	-.56
14:00	12.8	12.5	12.2	12.0	55.1	54.4	53.9	53.6	-.39
15:00	13.2	13.0	12.8	12.7	55.8	55.4	55.0	54.8	-.19
16:00	12.5	12.9	12.8	12.7	54.5	55.2	55.0	54.9	.35
17:00	10.9	12.1	12.1	12.1	51.6	53.7	53.8	53.9	1.16
18:00	9.8	11.0	11.2	11.3	49.6	51.8	52.2	52.4	1.27
19:00	9.4	10.1	10.3	10.5	48.9	50.3	50.5	50.9	.77
20:00	9.4	9.7	9.7	9.8	48.9	49.5	49.5	49.6	.30
21:00	9.7	9.9	10.0	10.0	49.4	49.9	49.9	50.0	.28
22:00	9.9	10.2	10.2	10.2	49.9	50.3	50.3	50.3	.26
23:00	10.6	10.9	10.8	10.8	51.1	51.5	51.4	51.5	.24
Avg	9.7	9.9	9.8	9.7	49.5	49.8	49.6	49.5	.15
Max	13.2	13.0	12.8	12.7	55.8	55.4	55.0	54.9	1.27
Hr. of Max	15	15	16	16	15	15	16	16	18
Min	8.3	8.3	8.0	7.9	46.9	46.9	46.5	46.3	-.61
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	10_VTGrad_0235m	11_VTGrad_0260m	12_VTGrad_1535m	13_VTGrad_1560m	14_DewPtC_002m	15_DewPtC_015m	16_DewPtF_002m	17_DewPtF_015m	17a_WBulbC
Hour	DEGC	DEGC	DEGC	DEGC	DEGC	DEGC	DEGF	DEGF	DEGC
00:00	.27	.26	-.10	-.11	7.6	7.5	45.6	45.5	8.0
01:00	.14	.15	-.09	-.08	7.6	7.5	45.7	45.5	8.0
02:00	-.05	-.11	-.13	-.20	7.2	7.3	45.0	45.1	7.8
03:00	-.09	-.16	-.15	-.23	7.1	7.2	44.8	45.0	7.7
04:00	.04	-.04	-.15	-.23	7.1	7.2	44.8	44.9	7.6
05:00	.17	.13	-.01	-.04	7.3	7.3	45.2	45.2	7.7
06:00	.01	-.07	-.14	-.22	7.2	7.1	44.9	44.9	7.6
07:00	-.06	-.14	-.15	-.23	7.2	7.2	44.9	44.9	7.6
08:00	-.25	-.36	-.20	-.31	7.0	7.1	44.5	44.8	7.6
09:00	-.35	-.47	-.23	-.34	6.9	7.1	44.4	44.8	7.5
10:00	-.47	-.59	-.24	-.36	7.0	7.1	44.5	44.8	7.5
11:00	-.55	-.68	-.24	-.37	6.5	6.8	43.7	44.3	7.5
12:00	-1.04	-1.27	-.43	-.66	5.7	6.7	42.3	44.1	7.8
13:00	-.88	-1.03	-.32	-.46	5.6	6.6	42.0	43.9	8.2
14:00	-.69	-.86	-.31	-.48	6.1	7.0	42.9	44.6	8.8
15:00	-.42	-.52	-.23	-.32	6.7	7.1	44.1	44.7	9.1
16:00	.25	.21	-.10	-.14	7.4	7.4	45.4	45.4	9.2
17:00	1.20	1.25	.04	.09	7.9	7.8	46.3	46.1	9.2
18:00	1.48	1.59	.22	.32	7.9	8.0	46.2	46.5	9.0
19:00	.93	1.12	.15	.35	8.1	8.1	46.5	46.6	8.8
20:00	.33	.40	.04	.10	8.3	8.2	47.0	46.7	8.7
21:00	.29	.34	.01	.07	7.4	7.1	45.3	44.8	8.1
22:00	.23	.25	-.03	-.01	6.1	5.8	43.0	42.5	7.3
23:00	.19	.20	-.06	-.04	5.1	4.7	41.2	40.5	6.8
Avg	.03	-.02	-.12	-.16	7.0	7.1	44.6	44.8	8.0
Max	1.48	1.59	.22	.35	8.3	8.2	47.0	46.7	9.2
Hr. of Max	18	18	18	19	20	20	20	20	17
Min	-1.04	-1.27	-.43	-.66	5.1	4.7	41.2	40.5	6.8
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	18_SoilTempC	19_RH_002m	20_RH_015m	21_AbsHum_002m	22_AbsHum_015m	23_Mix Ratio_002m	24_Mix Ratio_015m	5_Sat Mix Ratio_002	5_Sat Mix Ratio_015
Hour	DEGC	PERCENT	PERCENT	G/M3	G/M3	COUNT	COUNT	COUNT	COUNT
00:00	6.9	93.8	90.9	8.0	8.0	0.006665	0.006626	0.007107	0.007291
01:00	6.9	94.3	92.1	8.1	8.0	0.006687	0.00663	0.007092	0.007201
02:00	6.6	91.7	91.5	7.8	7.9	0.0065	0.006527	0.00709	0.007133
03:00	6.3	91.4	91.8	7.8	7.8	0.006438	0.006497	0.007045	0.007078
04:00	6.7	92.6	91.5	7.8	7.8	0.006459	0.00647	0.006977	0.007069
05:00	6.7	94.7	93.4	7.9	7.9	0.006547	0.006533	0.006913	0.006996
06:00	6.8	93.1	91.9	7.8	7.8	0.006475	0.006456	0.006953	0.007024
07:00	6.6	92.7	92.0	7.8	7.8	0.006467	0.006463	0.006978	0.007023
08:00	6.6	91.3	92.7	7.7	7.8	0.006376	0.006447	0.006981	0.006957
09:00	6.8	91.3	93.5	7.7	7.8	0.006349	0.006446	0.006951	0.006891
10:00	6.3	90.3	92.6	7.7	7.8	0.006377	0.006436	0.007064	0.006953
11:00	6.0	84.3	88.2	7.4	7.6	0.006166	0.006321	0.007317	0.007167
12:00	6.0	72.3	80.6	7.0	7.5	0.005874	0.006282	0.008126	0.0078
13:00	6.4	66.3	73.7	6.9	7.4	0.005821	0.006238	0.008786	0.008466
14:00	6.6	64.1	70.1	7.1	7.6	0.006026	0.006419	0.009399	0.009163
15:00	6.8	65.6	68.0	7.5	7.7	0.006314	0.006468	0.009629	0.009509
16:00	7.0	72.1	70.4	7.9	7.8	0.006632	0.006632	0.009211	0.009424
17:00	7.0	83.0	76.4	8.2	8.1	0.006868	0.006821	0.008279	0.00894
18:00	7.0	89.2	82.9	8.2	8.2	0.006842	0.00692	0.007675	0.008355
19:00	7.2	92.6	88.2	8.3	8.3	0.006927	0.006946	0.007485	0.007887
20:00	7.2	94.1	91.3	8.4	8.3	0.007059	0.006987	0.007503	0.007653
21:00	5.2 R	86.7	83.5	7.9	7.7	0.006617	0.006493	0.007635	0.007778
22:00	5.6	78.0	75.1	7.2	7.1	0.006062	0.005942	0.007777	0.007915
23:00	5.8	69.5	66.6	6.7	6.6	0.005666	0.00552	0.008153	0.008287
Avg	6.5	84.8	84.5	7.7	7.8	0.006426	0.00648	0.007672	0.007748
Max	7.2	94.7	93.5	8.4	8.3	0.007059	0.006987	0.009629	0.009509
Hr. of Max	20	05	09	20	20	20	20	15	15
Min	5.2	64.1	66.6	6.7	6.6	0.005666	0.00552	0.006913	0.006891
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	27_VaporPr_002m	28_VaporPr_015m	)_Sat Vapor_Pr_002	)_Sat Vapor_Pr_015	34_Precip_In	36_BarPres_In	37_BarPres_Mb	38_SolarRad_Wm2	39_SolarRad_Lang
Hour	KPa	KPa	KPa	KPa	INCHES	INHG	KPa	W/M2	Langleys
00:00	10.4	10.4	11.3	11.5	.00	29.08	984.7	-1.2	.00
01:00	10.5	10.4	11.2	11.4	.00	29.08	984.8	-1.2	.00
02:00	10.2	10.2	11.2	11.3	.00	29.09	985.1	-1.2	.00
03:00	10.1	10.2	11.2	11.2	.00	29.09	985.2	-1.2	.00
04:00	10.1	10.1	11.1	11.2	.00	29.10	985.4	-1.2	.00
05:00	10.3	10.2	11.0	11.1	.00	29.11	985.9	-1.2	.00
06:00	10.2	10.1	11.0	11.1	.00	29.12	986.3	-1.2	.00
07:00	10.2	10.1	11.1	11.1	.00	29.13	986.4	1.4	.00
08:00	10.0	10.1	11.1	11.0	.00	29.14	986.8	15.4	.02
09:00	10.0	10.1	11.0	10.9	.00	29.14	986.8	37.9	.05
10:00	10.0	10.1	11.2	11.0	.00	29.13	986.6	84.1	.12
11:00	9.7	9.9	11.6	11.4	.00	29.14	986.7	195.6	.28
12:00	9.2	9.9	12.9	12.4	.00	29.10	985.5	507.7	.73
13:00	9.1	9.8	13.9	13.4	.00	29.06	984.3	440.8	.63
14:00	9.4	10.0	14.9	14.5	.00	29.03	983.1	325.4	.47
15:00	9.9	10.1	15.2	15.0	.00	29.01	982.5	164.9	.24
16:00	10.4	10.4	14.5	14.9	.00	28.98	981.5	66.1	.09
17:00	10.7	10.6	13.1	14.1	.00	28.97	980.9	3.0	.00
18:00	10.7	10.8	12.1	13.2	.00	28.94	980.2	-1.1	.00
19:00	10.8	10.8	11.8	12.4	.00	28.92	979.5	-1.2	.00
20:00	11.0	10.9	11.8	12.1	.00	28.93	979.6	-1.2	.00
21:00	10.3	10.1	12.0	12.2	.00	28.93	979.6	-1.2	.00
22:00	9.4	9.3	12.2	12.4	.00	28.89	978.4	-1.2	.00
23:00	8.8	8.6	12.8	13.0	.00	28.85	977.1	-1.1	.00
Avg	10.1	10.1	12.1	12.2	.00	29.04	983.5	76.1	.11
Max	11.0	10.9	15.2	15.0	.00	29.14	986.8	507.7	.73
Hr. of Max	20	20	15	15	23	11	09	12	12
Min	8.8	8.6	11.0	10.9	.00	28.85	977.1	-1.2	.00
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	41_WDir_035m	42_WDir_060m	44_VWDir_035m	45_VWDir_060m	46_SWDir_015m	47_SWDir_060m	48_VSWDir_015m	49_VSWDir_060m	51_Sigma_035m
Hour	DEG	DEG	DEG	DEG	DEG	DEG	DEG	DEG	DEG
00:00	223.0	212.7	224.2	212.7	245.7	206.8	246.2	207.0	10.3
01:00	219.0	215.0	220.4	216.3	223.8	210.1	224.1	211.5	10.9
02:00	196.0	197.9	196.7	197.8	193.0	192.5	191.2	192.4	11.4
03:00	192.7	191.5	190.1	189.3	193.8	185.7	188.8	183.7	13.5
04:00	169.2	182.0	211.7	210.1	213.1	170.4	227.0	197.0	17.7
05:00	84.2	169.6	154.4	156.0	255.0	194.9	257.7	162.2	45.1
06:00	97.6	109.5	115.2	119.1	95.9	94.2	123.8	109.2	40.6
07:00	122.8	115.4	113.3	109.8	120.9	106.0	114.1	101.1	16.7
08:00	107.4	119.6	110.4	117.0	94.7	110.9	99.2	108.7	21.4
09:00	103.3	106.9	102.9	103.0	90.4	97.9	96.2	94.7	20.5
10:00	94.4	88.8	92.7	87.9	84.9	79.3	86.3	78.5	18.3
11:00	91.6	89.3	89.0	87.5	87.4	79.2	87.2	78.7	23.4
12:00	46.4	45.5	46.2	46.3	39.9	35.4	42.8	36.1	23.5
13:00	60.3	55.7	58.9	55.3	56.0	45.9	52.5	45.6	28.7
14:00	27.4	30.3	28.2	32.6	359.0	15.7	358.2	19.1	42.7
15:00	32.6	28.9	37.2	36.7	6.5	21.4	15.8	25.9	39.5
16:00	55.0	59.0	51.8	57.8	32.8	48.7	33.8	47.7	13.5
17:00	64.2	66.1	64.2	72.0	30.9	57.2	34.5	62.5	14.0
18:00	21.6	349.6	336.4	343.4	300.0	337.2	292.6	331.3	41.9
19:00	254.7	260.8	259.6	262.7	252.6	255.8	245.1	256.8	53.3
20:00	239.7	244.9	239.4	242.1	227.2	239.6	229.6	236.9	15.9
21:00	242.7	237.6	244.4	237.9	242.8	232.7	244.4	233.0	18.2
22:00	239.4	236.1	239.0	235.2	234.0	231.0	234.6	230.2	16.5
23:00	230.8	224.4	231.1	224.3	227.4	219.6	227.4	219.5	16.3
Avg	120.0	138.0	.0	.0	183.0	133.0	.0	.0	23.9
Max	254.7	349.6	336.4	343.4	359.0	337.2	358.2	331.3	53.3
Hr. of Max	19	18	18	18	14	18	14	18	19
Min	21.6	28.9	28.2	32.6	6.5	15.7	15.8	19.1	10.3
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	52_Sigma_060m	53_SSigma_015m	54_SSigma_060m	56_RWSpd_035m	57_RWSpd_060m	59_WSpd_035m	60_WSpd_060m	62_WSpdms_035m	63_WSpdms_060m
Hour	DEG	DEG	DEG	MPH	MPH	MPH	MPH	M/SEC	M/SEC
00:00	7.2	14.8	7.6	1.8	2.9	1.9	3.0	.8	1.3
01:00	7.7	14.9	7.9	3.3	4.8	3.4	4.9	1.5	2.2
02:00	8.3	15.3	8.4	3.0	3.9	3.3	4.1	1.5	1.8
03:00	10.7	18.6	10.4	2.7	3.5	2.8	3.6	1.3	1.6
04:00	17.8	48.9	21.4	1.0	1.3	1.3	1.5	.6	.7
05:00	17.6	16.5	42.6	.1	.2	.3	.2	.1	.1
06:00	48.4	54.2	54.7	1.2	1.6	1.6	2.2	.7	1.0
07:00	15.7	31.9	16.8	2.4	2.9	2.7	3.2	1.2	1.4
08:00	25.3	28.3	27.1	2.5	2.8	2.7	3.0	1.2	1.3
09:00	30.3	27.2	29.8	2.3	2.7	2.6	3.0	1.2	1.3
10:00	17.3	22.9	17.3	4.1	4.4	4.2	4.6	1.9	2.0
11:00	20.5	32.9	21.6	2.3	2.5	2.7	2.9	1.2	1.3
12:00	18.1	34.2	18.8	3.9	4.3	4.2	4.5	1.9	2.0
13:00	25.4	49.9	25.2	2.9	3.2	3.3	3.5	1.5	1.5
14:00	39.2	49.9	41.1	2.0	2.2	2.2	2.5	1.0	1.1
15:00	29.2	37.3	32.6	1.4	1.6	1.6	1.8	.7	.8
16:00	10.4	43.9	10.6	3.0	3.6	3.2	3.8	1.4	1.7
17:00	11.6	33.4	12.2	1.8	2.3	2.1	2.4	.9	1.1
18:00	35.8	54.9	43.0	.8	.7	2.0	2.1	.9	1.0
19:00	47.5	68.1	46.3	2.4	3.6	3.3	4.3	1.5	1.9
20:00	12.2	22.0	12.1	5.8	7.7	6.1	8.0	2.7	3.6
21:00	13.6	26.5	13.3	6.4	8.5	6.8	8.8	3.0	3.9
22:00	12.1	24.3	11.8	6.1	8.3	6.4	8.6	2.9	3.8
23:00	13.6	22.1	13.2	8.1	10.4	8.4	10.7	3.8	4.8
Avg	20.6	33.0	22.7	2.5	2.5	3.3	4.1	1.5	1.8
Max	48.4	68.1	54.7	8.1	10.4	8.4	10.7	3.8	4.8
Hr. of Max	06	19	06	23	23	23	23	23	23
Min	7.2	14.8	7.6	.1	.2	.3	.2	.1	.1
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	64_RSSpd_015m	65_RSSpd_060m	66_HSSpd_015m	67_HSSpd_060m	68_HSSpdms_015m	69_HSSpdms_060m	70_WElev_015m	71_WElev_060m	72_VSSpd_015m
Hour	MPH	MPH	MPH	MPH	M/SEC	M/SEC	DEG	DEG	MPH
00:00	1.5	3.2	1.5	3.2	.7	1.4	-.3	-.8	-.02
01:00	2.3	5.0	2.4	5.1	1.1	2.3	-1.0	-.2	-.07
02:00	2.2	4.1	2.5	4.3	1.1	1.9	2.2	-.4	.06
03:00	2.1	3.7	2.2	3.8	1.0	1.7	2.6	-.6	.05
04:00	.8	1.4	1.3	1.9	.6	.8	1.7	1.7	.02
05:00	.6	.3	.8	.6	.4	.3	2.5	.6	.04
06:00	.7	1.8	1.6	2.6	.7	1.2	6.6	-.3	.15
07:00	1.7	3.2	2.3	3.6	1.0	1.6	5.3	3.7	.20
08:00	2.2	3.1	2.8	3.5	1.2	1.5	3.7	5.3	.13
09:00	2.4	3.1	2.8	3.4	1.2	1.5	4.8	3.4	.14
10:00	3.7	4.7	3.9	4.9	1.8	2.2	-.3	1.5	-.05
11:00	2.0	2.9	2.6	3.3	1.2	1.5	-4.7	-1.8	-.23
12:00	3.2	4.7	3.8	4.9	1.7	2.2	-.8	-.8	-.21
13:00	2.3	3.7	3.1	4.0	1.4	1.8	-3.2	-2.4	-.25
14:00	1.5	2.5	2.2	3.1	1.0	1.4	-5.8	-16.3	-.25
15:00	1.0	1.8	1.6	2.2	.7	1.0	-5.5	-4.9	-.17
16:00	1.6	3.8	1.9	4.1	.9	1.8	-4.1	-.4	-.21
17:00	1.1	2.5	1.5	2.7	.7	1.2	.6	.9	-.01
18:00	.7	.8	1.8	2.4	.8	1.1	.3	.8	-.03
19:00	1.3	3.7	2.5	4.5	1.1	2.0	-.2	1.6	-.03
20:00	4.1	8.2	4.4	8.4	2.0	3.8	.9	.9	-.02
21:00	4.4	9.0	4.9	9.3	2.2	4.1	-.5	-.9	-.17
22:00	4.0	8.8	4.3	9.1	1.9	4.1	2.7	.0	.04
23:00	6.0	11.0	6.4	11.3	2.9	5.1	.2	.4	-.13
Avg	2.4	2.4	2.7	4.4	1.2	2.0	.3	-.4	-.04
Max	6.0	11.0	6.4	11.3	2.9	5.1	6.6	5.3	.20
Hr. of Max	23	23	23	23	23	23	06	08	07
Min	.6	.3	.8	.6	.4	.3	-5.8	-16.3	-.25
Count	24	24	24	24	24	24	24	24	24
Total									

Date Printed: 11/26/2018 01:31

OAK RIDGE NATIONAL LABORATORY
Managed by UT-Battelle for the Department of Energy

Daily Summary Report

Site: Tower "D" (1000 Area)

11/25/2018

Interval: 001h

	73_VSSpd_060m	80_PkWsH_035m	81_PkWsH_060m	82_SPkWsH_015m	84_SigPhi_015m	85_SigPhi_060m	86_SonicTemp_015m	87_SonicTemp_060m
Hour	MPH	MPH	MPH	MPH	DEG	DEG	DEGC	DEGC
00:00	-.05	5.3	6.2	2.5	7.0	5.3	9.4	9.0
01:00	-.04	6.4	7.3	5.6	8.6	5.3	9.2	8.9
02:00	-.07	8.2	9.6	5.0	11.1	7.3	9.0	8.6
03:00	-.05	8.0	8.5	6.6	12.4	7.8	8.9	8.5
04:00	-.05	5.0	5.7	4.6	12.9	17.1	8.9	8.5
05:00	.02	2.5	2.5	2.2	10.3	9.4	8.8	8.5
06:00	.02	5.3	5.7	5.7	20.2	18.3	8.8	8.4
07:00	.20	6.9	8.7	6.0	15.0	14.5	8.8	8.4
08:00	.22	7.3	7.1	6.3	15.6	18.4	8.7	8.2
09:00	.14	6.6	6.6	7.4	17.7	16.7	8.6	8.0
10:00	.09	8.9	8.5	8.6	16.1	16.6	8.7	8.1
11:00	-.08	6.9	8.0	6.7	22.3	21.0	9.1	8.5
12:00	-.09	9.2	8.9	8.7	23.7	19.2	10.4	9.4
13:00	-.18	10.8	10.3	8.0	24.8	23.8	11.6	10.8
14:00	-.65	6.9	6.6	6.9	27.2	25.3	12.8	12.0
15:00	-.17	4.1	4.1	4.4	23.1	24.5	13.3	12.7
16:00	-.05	5.5	6.0	4.9	18.2	8.8	13.1	12.8
17:00	.05	5.5	6.2	3.9	9.6	7.5	12.3	12.2
18:00	.04	6.6	9.2	5.2	10.7	9.7	11.3	11.4
19:00	.11	11.7	12.6	8.9	11.5	7.2	10.5	10.6
20:00	.07	15.8	18.5	12.9	11.2	6.7	10.1	9.9
21:00	-.19	15.6	17.9	14.1	14.0	7.6	10.3	10.1
22:00	-.10	17.9	20.2	12.5	16.2	8.5	10.4	10.1
23:00	-.04	18.5	21.5	17.8	14.8	9.6	11.0	10.7
Avg	-.04	8.6	9.4	7.3	15.6	13.2	10.2	9.8
Max	.22	18.5	21.5	17.8	27.2	25.3	13.3	12.8
Hr. of Max	08	23	23	23	14	14	15	16
Min	-.65	2.5	2.5	2.2	7.0	5.3	8.6	8.0
Count	24	24	24	24	24	24	24	24
Total								