



## Daily Summary Report

Site: Tower "E" (5600)

2/21/2020

Interval: 001h

	10_AbsHum	11_Mix_Ratio	12_Sat Mix_Ratio	13_Vapor_Pr	14_Sat Vapor_Pr	15_LHV
Time	G/M3	COUNT	COUNT	mbar	mbar	None
00:00	3.9	0.003083	0.003881	4.9	6.2	2490607.5
01:00	3.4	0.002661	0.003923	4.3	6.3	2490213.9
02:00	3.1	0.002456	0.003761	3.9	6.1	2491568.1
03:00	3.1	0.002445	0.003573	3.9	5.8	2493225.7
04:00	3.0	0.002321	0.003423	3.7	5.5	2494601.0
05:00	2.8	0.002195	0.00332	3.5	5.3	2495567.9
06:00	2.7 P	0.002105 P	0.003206 P	3.4 P	5.2 P	2496670.7 P
07:00	2.7	0.002077	0.003144	3.3	5.1	2497268.3
08:00	2.5	0.001979	0.003317	3.2	5.4	2495538.7
09:00	2.5	0.001913	0.00355	3.1	5.7	2493321.4
10:00	2.4	0.001872	0.003819	3.0	6.2	2490953.3
11:00	2.3	0.001841	0.004258	3.0	6.9	2487379.1
12:00	2.3	0.001814	0.004585	2.9	7.4	2484935.7
13:00	2.3	0.001811	0.005004	2.9	8.1	2482044.5
14:00	2.1	0.001687	0.005415	2.7	8.7	2479390.5
15:00	2.0	0.001604	0.005506	2.6	8.9	2478844.7
16:00	1.9	0.001547	0.005554	2.5	8.9	2478551.0
17:00	1.9	0.001555	0.005485	2.5	8.8	2478984.6
18:00	2.5	0.00198	0.004927	3.2	7.9	2482665.5
19:00	3.0	0.002338	0.004151	3.8	6.7	2488300.8
20:00	3.2	0.002472	0.00374	4.0	6.0	2491694.2
21:00	3.2	0.002484	0.003516	4.0	5.7	2493706.4
22:00	3.2	0.002508	0.003411	4.0	5.5	2494696.0
23:00	3.3	0.002547	0.003273	4.1	5.3	2496029.5
Avg	2.7	0.002137	0.004073	3.4	6.6	2489448.3
Max	3.9	0.003083	0.005554	4.9	8.9	2497268.3
Max Time	00:00	00:00	16:00	00:00	16:00	07:00
Min	1.9	0.001547	0.003144	2.5	5.1	2478551.0
Count	24	24	24	24	24	24
Total						